




8880 8880SB SERIES

*Welded Vinyl Single Sliding
& Basement Windows*

All vinyl construction resists heat and cold transfer; clean lines compliment any style of architecture.

- Brass Roller System
- Two Cam Locks at Meeting Rail - 8880
- Single Cam Lock at Meeting Rail - 8880sb
- Tape Glazed for Easy Glass Replacement
- Optional Decorative Grids Between Glass
- Extension Jambs Available
- Intercept™ Insulating Glass Spacer System
- AAMA and NFRC Labeled



**8880
SLIDER**

- A** Welded Vinyl Main Frame
- B** Welded Vinyl Sash
- C** 3 1/4" Frame Depth
- D** 7/8" Insulated Glass
- E** Removable Fixed Glass Panel Is Drop-In Taped Glazed In Sash Frame


8880

8880^{SB}SERIES

*Welded Vinyl Single Sliding
& Basement Windows*

SPECIALTIES


Arch Tops, Circle Tops, Extended Circle Tops, Octagons, Full Circles, and Quarter Circles are available in Stock and Custom Sizing. Eyebrows, Half Arches, Triangles, Parallelograms, and other Polygons are available in Custom Sizing Only. Contact your local distributor for details.




ARCH TOP



ARCH TOP




EXTENDED CIRCLE TOP




FULL CIRCLE



CIRCLE TOP



QUARTER CIRCLE



OCTAGON




EYEBROW

8880

8880^{SB}SERIES


Welded Vinyl Single Sliding
& Basement Windows

SINGLE ROLLING WINDOW SIZES




SLIDER OPERATION VIEWED FROM THE OUTSIDE

PICTURE WINDOW SIZES



THREE-LITE ROLLING WINDOW SIZES



SLIDER OPERATION VIEWED FROM THE OUTSIDE



NFRC rated products provide you with an industry standard energy efficiency testing and ratings comparison. Meet your demands for energy performance at a glance.



Some products may require special glazing options to meet certain Energy Star criteria. Contact your sales representative for more information.

Energy Star qualified products use less energy than conventional products. You save money and help save the environment. We are proud to be an Energy Star partner.



QUALITY CONTROL & TESTING


AAMA CERTIFICATION PROGRAM

ACCREDITED BY: AMERICAN NATIONAL STANDARDS INSTITUTE


Validator ALI®

AAMA Certification insures labeled products comply with industry specifications related to windload, air infiltration and water resistance requirements.


CIRCLE TOP WINDOW SIZES




TRANSOM WINDOW SIZES




EXTENDED CIRCLE TOP SIZES




EXTENDED ARCH TOP SIZES - RENAISSANCE




EXTENDED ARCH TOP SIZES - COLONIAL



STANDARD SLIDING BASEMENT WINDOWS




MULLION AVAILABLE




V-023
Mullion

VERTICAL DETAIL



8880/8880SB Vertical Cross Section

HORIZONTAL DETAIL



8880/8880SB Horizontal Cross Section

The Basement Slider Window is the same as the standard slider WITHOUT nailing fins.

8880 SERIES *Single Sliding Opening Specifications*

NOMINAL UNIT SIZE	WINDOW I.D. SIZE	SASH SLID CLEAR OPENING WIDTH x HEIGHT	SASH SLID CLEAR OPENING SQ. FT.	VISIBLE LITE SQ. FT.	SCREEN SIZE WIDTH x HEIGHT	GLASS SIZE WIDTH x HEIGHT
2' 0 x 2' 0	23 1/2 x 23 1/2	7 15/16 x 18 3/8	1.01	2.08	9 1/4 x 19 9/16	9 3/8 x 19 5/16
2' 0 x 3' 0	23 1/2 x 35 1/2	7 15/16 x 30 3/8	1.67	3.46	9 1/4 x 31 9/16	9 3/8 x 31 5/16
3' 0 x 2' 0	35 3/4 x 23 1/2	14 1/16 x 18 3/8	1.75	3.63	15 3/8 x 19 9/16	15 1/2 x 19 5/16
3' 0 x 3' 0	35 3/4 x 35 1/2	14 1/16 x 30 3/8	2.90	6.03	15 3/8 x 31 9/16	15 1/2 x 31 5/16
3' 0 x 3' 4	35 3/4 x 39 1/2	14 1/16 x 34 3/8	3.36	6.83	15 3/8 x 35 9/16	15 1/2 x 35 5/16
3' 0 x 4' 0	35 3/4 x 47 1/2	14 1/16 x 42 3/8	4.05	8.42	15 3/8 x 43 9/16	15 1/2 x 43 5/16
3' 0 x 5' 0	35 3/4 x 59 3/4	14 1/16 x 54 5/8	5.22	10.87	15 3/8 x 55 13/16	15 1/2 x 55 9/16
4' 0 x 2' 0	47 1/2 x 23 1/2	20 3/16 x 18 3/8	2.58	5.05	21 3/8 x 19 9/16	21 1/8 x 19 5/16
4' 0 x 3' 0	47 1/2 x 35 1/2	20 3/16 x 30 3/8	4.26	8.39	21 3/8 x 31 9/16	21 1/8 x 31 5/16
4' 0 x 3' 4	47 1/2 x 39 1/2	20 3/16 x 34 3/8	4.76	9.62	21 3/8 x 35 9/16	21 1/8 x 35 5/16
4' 0 x 4' 0	47 1/2 x 47 1/2	20 3/16 x 42 3/8	5.94	11.72	21 3/8 x 43 9/16	21 1/8 x 43 5/16
4' 0 x 5' 0	47 1/2 x 59 3/4	20 3/16 x 54 5/8	7.66	15.12	21 3/8 x 55 13/16	21 1/8 x 55 9/16
5' 0 x 2' 0	59 1/2 x 23 1/2	25 15/16 x 18 3/8	3.27	6.63	27 1/4 x 19 9/16	27 3/8 x 19 5/16
5' 0 x 3' 0	59 1/2 x 35 1/2	25 15/16 x 30 3/8	5.41	11.01	27 1/4 x 31 9/16	27 3/8 x 31 5/16
5' 0 x 3' 4	59 1/2 x 39 1/2	25 15/16 x 34 3/8	6.19	12.46	27 1/4 x 35 9/16	27 3/8 x 35 5/16
5' 0 x 4' 0	59 1/2 x 47 1/2	25 15/16 x 42 3/8	7.54	15.38	27 1/4 x 43 9/16	27 3/8 x 43 5/16
5' 0 x 5' 0	59 1/2 x 59 3/4	25 15/16 x 54 5/8	9.72	19.85	27 1/4 x 55 13/16	27 3/8 x 55 9/16
6' 0 x 2' 0	71 1/2 x 23 1/2	31 15/16 x 18 3/8	4.04	8.15	33 1/4 x 19 9/16	33 3/8 x 19 5/16
6' 0 x 3' 0	71 1/2 x 35 1/2	31 15/16 x 30 3/8	6.67	13.52	33 1/4 x 31 9/16	33 3/8 x 31 5/16
6' 0 x 3' 4	71 1/2 x 39 1/2	31 15/16 x 34 3/8	7.62	15.31	33 1/4 x 35 9/16	33 3/8 x 35 5/16
6' 0 x 4' 0	71 1/2 x 47 1/2	31 15/16 x 42 3/8	9.31	18.90	33 1/4 x 43 9/16	33 3/8 x 43 5/16
6' 0 x 5' 0	71 1/2 x 59 3/4	31 15/16 x 54 5/8	12.00	24.38	33 1/4 x 55 13/16	33 3/8 x 55 9/16
6' 0 x 3' 0 xox	71 1/2 x 35 1/2	14 1/16 x 30 3/8	2.97	14.25	15 3/8 x 31 9/16	35 1/8 x 31 5/16 (Fxd) 15 1/2 x 31 5/16 (Mvg)
6' 0 x 3' 4 xox	71 1/2 x 39 1/2	14 1/16 x 34 3/8	3.33	14.90	15 3/8 x 35 9/16	35 1/8 x 35 5/16 (Fxd) 15 1/2 x 35 5/16 (Mvg)
6' 0 x 4' 0 xox	71 1/2 x 47 1/2	14 1/16 x 42 3/8	4.14	20.04	15 3/8 x 43 9/16	35 1/8 x 43 5/16 (Fxd) 15 1/2 x 43 5/16 (Mvg)
6' 0 x 5' 0 xox	71 1/2 x 59 3/4	14 1/16 x 54 5/8	5.33	25.83	15 3/8 x 55 13/16	35 1/8 x 55 9/16 (Fxd) 15 1/2 x 55 9/16 (Mvg)
6' 0 x 6' 0 xox	71 1/2 x 71 1/2	14 1/16 x 66 3/8	6.48	31.37	15 3/8 x 67 9/16	35 1/8 x 67 5/16 (Fxd) 15 1/2 x 67 5/16 (Mvg)
7' 0 x 3' 0 xox	83 1/2 x 35 1/2	16 15/16 x 30 3/8	3.57	15.67	18 1/4 x 31 9/16	41 3/8 x 31 5/16 (Fxd) 18 3/8 x 31 5/16 (Mvg)
7' 0 x 3' 4 xox	83 1/2 x 39 1/2	16 15/16 x 34 3/8	4.04	17.75	18 1/4 x 35 9/16	41 3/8 x 35 5/16 (Fxd) 18 3/8 x 35 5/16 (Mvg)
7' 0 x 4' 0 xox	83 1/2 x 47 1/2	16 15/16 x 42 3/8	4.98	21.90	18 1/4 x 43 9/16	41 3/8 x 43 5/16 (Fxd) 18 3/8 x 43 5/16 (Mvg)
7' 0 x 5' 0 xox	83 1/2 x 59 3/4	16 15/16 x 54 5/8	6.43	28.26	18 1/4 x 55 9/16	41 3/8 x 55 9/16 (Fxd) 18 3/8 x 55 9/16 (Mvg)
7' 0 x 6' 0 xox	83 1/2 x 71 1/2	16 15/16 x 66 3/8	7.81	34.36	18 1/4 x 67 9/16	41 3/8 x 67 5/16 (Fxd) 21 1/8 x 67 5/16 (Mvg)
8' 0 x 3' 0 xox	95 1/2 x 35 1/2	20 3/16 x 30 3/8	4.25	19.13	21 3/8 x 31 9/16	18 3/8 x 67 5/16 (Mvg) 46 3/4 x 31 5/16 (Fxd) 21 1/8 x 31 5/16 (Mvg)
8' 0 x 3' 4 xox	95 1/2 x 39 1/2	20 3/16 x 34 3/8	4.76	20.60	21 3/8 x 35 9/16	46 3/4 x 35 5/16 (Fxd) 21 1/8 x 35 5/16 (Mvg)
8' 0 x 4' 0 xox	95 1/2 x 47 1/2	20 3/16 x 42 3/8	5.94	26.73	21 3/8 x 43 9/16	46 3/4 x 43 5/16 (Fxd) 21 1/8 x 43 5/16 (Mvg)
8' 0 x 5' 0 xox	95 1/2 x 59 3/4	20 3/16 x 54 5/8	7.66	34.34	21 3/8 x 55 9/16	46 3/4 x 55 5/16 (Fxd) 21 1/8 x 55 5/16 (Mvg)
8' 0 x 6' 0 xox	95 1/2 x 71 1/2	20 3/16 x 66 3/8	9.31	41.94	21 3/8 x 67 9/16	46 3/4 x 67 5/16 (Fxd) 21 1/8 x 67 5/16 (Mvg)
9' 0 x 3' 0 xox	107 1/2 x 35 1/2	22 15/16 x 30 3/8	4.84	20.70	27 1/4 x 31 9/16	59 3/8 x 31 5/16 (Fxd) 27 3/8 x 31 5/16 (Mvg)
9' 0 x 3' 4 xox	107 1/2 x 39 1/2	22 15/16 x 34 3/8	5.48	23.44	27 1/4 x 35 9/16	59 3/8 x 35 5/16 (Fxd) 27 3/8 x 35 5/16 (Mvg)
9' 0 x 4' 0 xox	107 1/2 x 47 1/2	22 15/16 x 42 3/8	6.75	28.93	27 1/4 x 43 9/16	59 3/8 x 43 5/16 (Fxd) 27 3/8 x 43 5/16 (Mvg)
9' 0 x 5' 0 xox	107 1/2 x 59 3/4	22 15/16 x 54 5/8	8.70	37.33	27 1/4 x 55 9/16	59 3/8 x 55 5/16 (Fxd) 27 3/8 x 55 5/16 (Mvg)
9' 0 x 6' 0 xox	107 1/2 x 71 1/2	22 15/16 x 66 3/8	10.57	45.39	27 1/4 x 67 9/16	59 3/8 x 67 5/16 (Fxd) 27 3/8 x 67 5/16 (Mvg)

8880SB SERIES *Single Sliding Basement Opening Specifications*

NOMINAL UNIT SIZE	WINDOW I.D. SIZE	VISIBLE LITE SQ. FT.	SCREEN SIZE WIDTH x HEIGHT	GLASS SIZE WIDTH x HEIGHT
32 x 15	31 7/8 x 15 1/2	1.76	13 7/16 x 11 9/16	13 9/16 x 11 5/16
32 x 17	31 7/8 x 17 1/2	2.11	13 7/16 x 13 9/16	13 9/16 x 13 5/16
32 x 19	31 7/8 x 19 1/2	2.45	13 7/16 x 15 9/16	13 9/16 x 15 5/16
32 x 23	31 7/8 x 23 1/2	3.14	13 7/16 x 19 9/16	13 9/16 x 19 5/16



For additional Product Information, technical documents, installation instructions and warranty information, please visit: www.miwd.com
MI Windows and Doors, Inc. is a J.T. Walker Company