




Masonite® Steel and Fiberglass Entry Systems



Beauty IN THE DETAILS™

Masonite. The Beautiful Door.®

 *Masonite®*



Bridgewater Wholesalers, Inc.®

BWI's Roots

For over 20 years, Bridgewater Wholesalers, Inc.® has supplied specialty millwork to independent retail establishments, bringing builders and homeowners expertise and personal service.

Headquartered in Branchburg, New Jersey, BWI® has expanded rapidly over the past several years, opening three new facilities to service our customers in nine states. Our geographic expansion has allowed us to provide better service to our growing customer base, from Connecticut to North Carolina.

BWI's Future

We believe this strong commitment to our customers will continue to build our reputation as a leader in the millwork industry and lead to our future growth across the region. We are constantly monitoring industry and market trends and adjusting our inventory and services to meet these demands.

Our user-friendly EntryNet system allows online ordering 24/7 - when it is convenient for you. Our electronic warehouse management system allows tracking of your shipment until the moment it is delivered to your door. This commitment to innovation gives our customers access to state-of-the-art equipment and technology. Whatever the need, BWI® will continue to be there to offer cutting-edge solutions; the best selection and the most current products available. Visit us online at www.bwimillwork.com.

BWI® Today

Today, BWI® is a premier provider of fine millwork across the eastern seaboard. With over 400 employees, multiple locations, and a large fleet of vehicles, we are able to offer shorter lead times and a larger inventory than ever before. As a company, we are known for our consistent quality, exceptional customer service and highly professional sales and support staff. At BWI®, our mission is to become the leading provider of fine millwork to independent lumber retailers offering the widest variety of quality products. Whatever our customer is looking for, we strive to deliver.



Table of Contents

Introduction	2
BWI® Catalog Notes	4
Energy Star®	5
Masonite's Full Line of Entry Systems	6
Masonite® Fiberglass Door Collection	8
Barrington®	10
Belleville®	18
ArTek®	20
Oakcraft®	20
Masonite® Stain Kit	22
Masonite® Steel Door Collection	23
BWI® Entry Door Systems	25
Clad-Plus II Door Frame	26
Trilennium™	28
How to Specify	30
Specialty™ Glass	32
Venting Lites	64
Internal Mini Blinds	65
Clear Glass	66
Door Price Guide	69
Transom Price Guide	70
Paint Instructions	72
Stain Instructions	73
Rough Openings	74
Handing Charts	76
BWI® Exterior Door Warranty	77
Standard Specifications & Options	80

Catalog Note:
Bridgewater Wholesalers, Inc®
reserves the right to change any or all
prices, BWI® specifications, and stock
items shown without notice.



*Bridgewater Wholesalers, Inc.**

Catalog Notes:

- All prices shown are for 3'0" x 6'8" and 2'8" x 6'8" (where available from stock) (consult page 69 for availability)
- 4-9/16" primed frame and BMC (see page 80 for CLAD Frame Options and PVC BMC Options)
- Young MFG Adjustable Sill (see page 80 for pricing on Endura Composite Sill)
- Single Bore 2-3/4" backset (unless noted)
- All prices listed in GREEN are Stock Items.
- All prices listed in RED are Special Order approx. 3-4 week lead time
- 1'0" and 1'2" sidelights available same price.
- Reference bottom of pages for all available door style and lite combinations
- See page 75 for Transom Rough Openings
- See page 80 for Twin Door Unit Pricing

 *Masonite®*



Bridgewater Wholesalers, Inc.®

BWI's Masonite® fiberglass and steel door units are NFRC Certified and qualify for the ENERGYSTAR® program. When looking for exterior door products, look for the doors that have earned the ENERGYSTAR® label. These doors meet the strict energy efficiency guidelines set by the EPA and U.S. Department of Energy.

National Fenestration Rating Council
CERTIFIED

Bridgewater Wholesalers, Inc.®
BRANCHBURG, NJ

PRODUCT LINE:
BW-M-2: Fiberglass entry & patio door

ENERGY PERFORMANCE RATINGS				
PRODUCT DESCRIPTION	U-Factor/Solar Heat Gain Coefficient (SHGC)			
	1/4 Lite ≤ 400 sq ft	1/2 Lite ≤ 900 sq ft	3/4 Lite ≤ 1100 sq ft	Full Lite ≥ 1100 sq ft
BW-M-2/2 - 1/4/0.25	0.19 / 0.07	0.35 / 0.22	0.35 / 0.30	0.40 / 0.37
BW-M-2/2 - 1/4/0.25 grids	0.19 / 0.07	0.36 / 0.20	0.35 / 0.27	0.40 / 0.34
BW-M-2/3 - 1/4/0.31	0.19 / 0.08	0.25 / 0.20	0.28 / 0.27	0.31 / 0.33
BW-M-2/2/0.204(3)/1/4/0.75	N/A	N/A	N/A	0.31 / 0.34
BW-M-2/1/4/0.25	0.15 / 0.03			

Manufacturer certifies that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org

Product featuring layered, low-e, carbonized gap. Solar gap width: Min-Clearance: 1/8", maximum: 1/4" and 1/2" gap.

All products qualified in all 50 states except: BW-M-1/2/1/4/0.25 (full lite with and without grids) (ENERGY STAR qualified in the Southern zone only), 3/4 lite with and without grids (ENERGY STAR qualified in NorthCentral, SouthCentral, and Southern zones only), BW-M-2/2/1/4/0.25 full lite with and without grids (ENERGY STAR qualified in NorthCentral, SouthCentral, and Southern zones only).

ENERGY STAR qualified
Double Glazed & Low-E Coated

Zone	U-Factor	SHGC
North-Central Heating	≤ 1.00	Any
North-Central Heating & Cooling	≤ 1.00	≤ 0.30
South-Central Heating & Cooling	≤ 1.00	≤ 0.30
Southern Heating & Cooling	≤ 1.00	≤ 0.30

ENERGY STAR is a registered trademark of U.S. Environmental Protection Agency. NFRC Certified is a registered mark of National Fenestration Rating Council.

Bridgewater Wholesalers, Inc.®

BWI is a registered trademark of Bridgewater Wholesalers, Inc.

National Fenestration Rating Council
CERTIFIED

Bridgewater Wholesalers, Inc.®
BRANCHBURG, NJ

PRODUCT LINE:
BW-M-1: Steel entry & patio door with wood-edge

ENERGY PERFORMANCE RATINGS				
PRODUCT DESCRIPTION	U-Factor/Solar Heat Gain Coefficient (SHGC)			
	1/4 Lite ≤ 400 sq ft	1/2 Lite ≤ 900 sq ft	3/4 Lite ≤ 1100 sq ft	Full Lite ≥ 1100 sq ft
BW-M-1/2 - 1/4/0.25	0.20 / 0.09	0.31 / 0.24	0.37 / 0.31	0.41 / 0.37
BW-M-1/2 - 1/4/0.25 grids	0.20 / 0.08	0.31 / 0.22	0.37 / 0.29	0.41 / 0.35
BW-M-1/3 - 1/4/0.31	0.19 / 0.07	0.26 / 0.21	0.30 / 0.28	0.33 / 0.34
BW-M-1/2/0.204(3)/1/4/0.75	N/A	N/A	N/A	0.32 / 0.35
BW-M-1/1/4/0.25	0.15 / 0.03			

Manufacturer certifies that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org

Product featuring layered, low-e, carbonized gap. Solar gap width: Min-Clearance: 1/8", maximum: 1/4" and 1/2" gap.

All products qualified in all 50 states except: BW-M-1/2/1/4/0.25 (full lite with and without grids) (ENERGY STAR qualified in the Southern zone only), 3/4 lite with and without grids (ENERGY STAR qualified in NorthCentral, SouthCentral, and Southern zones only), BW-M-2/2/1/4/0.25 full lite with and without grids (ENERGY STAR qualified in NorthCentral, SouthCentral, and Southern zones only).

ENERGY STAR qualified
Double Glazed & Low-E Coated

Zone	U-Factor	SHGC
North-Central Heating	≤ 1.00	Any
North-Central Heating & Cooling	≤ 1.00	≤ 0.30
South-Central Heating & Cooling	≤ 1.00	≤ 0.30
Southern Heating & Cooling	≤ 1.00	≤ 0.30

ENERGY STAR is a registered trademark of U.S. Environmental Protection Agency. NFRC Certified is a registered mark of National Fenestration Rating Council.

Bridgewater Wholesalers, Inc.®

BWI is a registered trademark of Bridgewater Wholesalers, Inc.



WE SELL ENERGY STAR



Masonite® Entry Doors

Homeowners, remodelers, architects and builders rely on Masonite for a comprehensive line of beautiful and durable entry systems that add value to any home. Barrington® Fiberglass Doors are the essence of luxury and performance. Belleville® Fiberglass Doors shape grand entryways with great looks and maximum design flexibility. Oakcraft® Wood-Grain Fiberglass Doors provide the warmth of wood without the maintenance. Dent-proof ArTek® Smooth Fiberglass Doors are an ideal upgrade from steel. Masonite's steel door lineup offers an endless array of designs and sizes in a variety of configurations. All Masonite Entry Systems are available with Masonite's beautiful, decorative Specialty® Glass.



The Barrington® Fiberglass Door Collection defines a new level of luxury in fiberglass entry systems. Barrington's distinct raised moulding and outstanding wood-grain texture, reminiscent of hand-crafted hardwood doors, impart unbelievable warmth and elegance to any home.

All Barrington doors are factory-glazed with a stunning, proprietary collection of Specialty® decorative glass.

By combining dramatic decorative glass with impressive raised moulding and detailed wood-grain texture, Masonite's Barrington Door Collection presents a new dimension of luxury in fiberglass entry doors.



The Belleville® Fiberglass Entry Door Collection from Masonite demonstrates superior beauty and architectural design with maximum flexibility. Belleville's high-definition panel profile reflects authentic wood door beauty and design.

All designs are offered with a paintable, incredibly smooth surface or Masonite's exceptional wood-grain texture – providing an authentic hardwood door appearance.

With a tremendous variety in texture, glass and panel design, Belleville Fiberglass Entry Doors create grand entrances.



Masonite. The Beautiful Door.®



Oakcraft®

Wood-grain Textured
FIBERGLASS ENTRY DOORS

Oakcraft® Entry Doors impart incredible warmth to a home's entry, accentuating the personal style of the house and the homeowner. Painted or stained, Oakcraft Fiberglass Doors have an exceptional texture that replicates the appearance of natural wood doors. They convey a welcoming and warm invitation to guests, while providing years of low-maintenance satisfaction.

Engineered for beauty and strength, the wood grain of these durable fiberglass doors is significantly deeper than similar products.

Oakcraft also features square, wood-edge construction for the look and machinability of a real wood door. This combination of innovative designs, beautiful appearance, low maintenance and energy efficiency makes Oakcraft Doors the natural choice.

ARTEK®

Smooth Fiberglass Entry Doors

Adding richness and significance to a home's exterior is the ArTek® advantage. The incredibly smooth fiberglass surface and variety of decorative glass options transform an entryway and enhance the value of any home.

Conveying a clean yet rich feel, ArTek Fiberglass Doors are a low maintenance product that resists cracking, splitting, denting and warping. ArTek also features a square, wood-edge construction for the look and machinability of a real wood door.



Masonite® HD

HIGH-DEFINITION STEEL ENTRY DOORS

Presenting the ultimate collection of steel entry doors....

Masonite is proud to present the Masonite HD line of steel entry doors. This line is second to none. The Masonite HD features our high-definition embossment, primed surface and many other features. The line also features unique designs, the 1-Panel Arch and the 2-Panel Camber Top.

Introducing the ultimate collection of fiberglass entry doors...

Masonite offers an incredible variety of fiberglass entry doors. The Barrington® door is the essence of luxury and performance. Barrington features distinct raised moulding, authentic wood-grain texture and proprietary glass designs. The Belleville® line includes a tremendous variety of panel configurations and sizes. Belleville has a very ornate panel profile and is offered with a smooth or textured wood-grain surface. The ArTek® and Oakcraft® lines include all traditional designs. ArTek features a smooth surface, while Oakcraft is textured. All Masonite fiberglass doors feature high-performance fiberglass facings and square-edge construction for maximum performance and authentic wood door appearance.

BARRINGTON®

Fiberglass Entry Doors



- Hardwood door beauty - Barrington® features Masonite's authentic hardwood texture in both Oak and Mahogany
- Distinct raised moulding
- Proprietary glass designs
- Custom glazing frame profile and architecturally correct alignment
- Unique panel configurations
- 3'6" x 8'0" doors available



BELLEVILLE®

Fiberglass Entry Doors



- Belleville® is offered with a smooth or textured wood-grain surface
- Belleville Textured features Masonite's authentic hardwood texture in Oak
- Very ornate, high-definition panel profile
- Compatible with Masonite's extensive line of Specialty™ Glass
- Traditional and unique panel configurations
- Wide selection of 8'0" doors



ARTEK®

Smooth Fiberglass Entry Doors

Oakcraft®

Wood-grain Textured
FIBERGLASS ENTRY DOORS

- ArTek® has a smooth surface
- Oakcraft® has a textured wood-grain surface
- ArTek features a decorative panel profile
- Oakcraft has a traditional ovolo sticking design
- Both ArTek and Oakcraft are compatible with Masonite's extensive line of Specialty™ Glass
- Traditional panel configurations and limited selection of 8'0" doors



Standard Features:

on all Masonite® Fiberglass Entry Doors

- True-square-edge design
- Engineered stiles
- Internal lock reinforcement
- Rot-resistant bottom rail
- High-performance fiberglass facings
- All units utilizing Masonite's Specialty™ decorative glass feature 1" insulated triple-pane glass inserts

Unique Features:

differentiation for each line of Masonite® Fiberglass Entry Doors...

ARTEK Oakcraft
Smooth Fiberglass Entry Doors Wood-grain Textured FIBERGLASS ENTRY DOORS



BELLEVILLE
Fiberglass Entry Doors



BARRINGTON
Fiberglass Entry Doors



		Surface	Design Size/Offering	Panel Moulding or Sticking	Glazing
ArTek®		Smooth	Basic offering of 6'8", 7'0" & 8'0" designs	Decorative profile	Compatible with Masonite's complete line of Specialty™ Glass glazing inserts; flush-glazing is also available
Oakcraft®		Oakcraft traditional deep wood-grain texture	Expanded offering of 6'8", 7'0" & 8'0" designs	Standard ovolo (quarter-round) profile	
Belleville®	Smooth	Smooth	Extensive collection of both Smooth & Textured designs; both traditional and unique; 6'8" & 8'0" heights available	Belleville high-definition panel profile	Compatible with Masonite's complete line of Specialty™ Glass glazing inserts
	Textured	Masonite's state-of-the-art, variable depth, authentic hardwood, Oak texture			
Barrington®	Oak	Masonite's state-of-the-art, variable depth, authentic hardwood, Oak texture	Extensive collection of unique designs, reminiscent of authentic hardwood doors; 6'8" & 8'0" heights, plus 3'6" widths available	Beautiful raised moulding integrated into the facing (no plant-on applique)	Factory-glazed with proprietary, decorative glass in brass (BR1), antique black (BR2) & platinum (BR3) casing; custom glazing frames to match panel moulding, architecturally correct alignment between glazing frame & panel moulding
	Mahogany	Masonite's authentic hardwood, Mahogany texture			



Barrington® Fiberglass Door Collection, the essence of luxury and performance



BARRINGTON® 2-PANEL WITH 3/4" CLEAR GLASS



Behold the Barrington® Fiberglass Door Collection from Masonite,
defining a new level of luxury in fiberglass entry systems.

High-Performance Fiberglass & Hardwood Door Beauty

Specially engineered fiberglass door facings provide maximum protection and durability. The surface of a Barrington® door produces an authentic wood door appearance by utilizing Masonite's variable depth, wood-grain texture that finishes easily and beautifully. Both oak and mahogany textures are available. Barrington will not dent and resists splitting, cracking and warping.

Custom Glass Frames & Architecturally Correct Alignment

Glazing frames have been specifically designed to match the panel moulding in both profile design and width. All raised moulding profiles align vertically on the surface of the door to avoid overlapping onto the surface of the stile.

Raised Moulding

Distinct raised moulding is standard on all Barrington doors – reminiscent of hand-crafted hardwood doors.



BARRINGTON® MAHOGANY 2-PANEL WITH 3/4" CLEAR GLASS



BARRINGTON® 3-PANEL WITH HALF CAMBER-TOP 811 GLASS

Proprietary Decorative Glass Designs

Barrington features a stunning, proprietary collection of Specialty® decorative glass. Unlike typical fiberglass doors with glass inserts, Barrington doors are factory-glazed with custom-sized inserts to yield wider glass and narrower stiles & rails – similar to authentic hardwood doors.

Engineered Stiles

Hinge and lock stiles feature matching hardwood edge providing excellent dimensional stability.



True Square-Edge Design

The square-edge design of Barrington offers an attractive wood door appearance and permits easy field machining.

Internal Blocking

Lock area is reinforced with a lock block to provide a solid mounting surface for decorative hardware.

Rot-Resistant Bottom Rail

A high-performance, composite material is utilized on all Barrington bottom rails, giving excellent rot-resistance.




BARRINGTON® MAHOGANY 2-PANEL WITH 3/4" OVAL 811 GLASS



Oak

Masonite. The Beautiful Door.®



Mahogany




TOP LEFT: BARRINGTON® 2-PANEL WITH 3/4 OVAL, BR1 GLASS.
BOTTOM LEFT: BARRINGTON® 1-PANEL WITH FULL OVAL AND FULL SIDELITES, BR2 GLASS.
CENTER: BARRINGTON® (OAK/MAHOGANY) 2-PANEL WITH 3/4 OVAL, BR1 GLASS.

TOP RIGHT: BARRINGTON® 3-PANEL WITH HALF CAMBER-TOP AND FULL SIDELITES, BR2 GLASS.
BOTTOM RIGHT: BARRINGTON® MAHOGANY 2-PANEL WITH 3/4 OVAL AND 3/4 SIDELITES, BR3 GLASS, 5-000 TRANSOM.

Available Sizes & Designs

	1-PNL WITH FULL OVAL GLASS	2-PNL WITH 3/4 OVAL GLASS	2-PNL WITH 3/4 RECT. GLASS	3-PNL WITH 1/2 CAMBER TOP GLASS	3-PNL PARALLEL WITH CENTER ANCHED GLASS	3/4 GLASS SIDELITE	FULL GLASS SIDELITE
Width x Height							
3'0" x 6'8"	■	■ ●	■	■	■		
3'0" x 8'0"		■ ●	■	■	■		
3'6" x 8'0"		■ ●	■	■	■		
1'0" x 6'8"						■ ●	■
1'0" x 8'0"						■ ●	■
1'2" x 6'8"						■ ●	■
1'2" x 8'0"						■ ●	■

■ Barrington® Oak ● Barrington® Mahogany. Note: All Barrington® doors and sidelites are offered factory-glazed only with a choice of three glass designs. BR2 line art shown in table above (BR1 and BR3 available in all designs).



Transoms

BR1 (Brass)				
BR2 (Antique Black)				
BR3 (Platinum)				



Introducing the Barrington® Craftsman & Sierra™ Fiberglass Entry Doors from Masonite...

Barrington® Sierra™

The Barrington® Sierra™ Series has been engineered to meet the design needs of Southwest, Spanish or Mediterranean style homes. The Sierra Series is available with a 2-Panel Camber Top design - with or without planks. Like all Barrington, the Sierra is the ultimate in authenticity. Sierra has a unique, custom panel profile and beautiful Mahogany texture. The Sierra is the first opaque (non-glazed) Barrington door. However, the series does feature a matching full sidelite panel with a choice of clear and three decorative Specialty™ Glass designs.

Barrington® Craftsman

The Barrington® Craftsman Series beautifully complements Mission or Craftsman style architecture with the durability of fiberglass. The Barrington® Craftsman features three recessed panels and a unique one-lite glazing system. This door is factory-glazed with a custom glazing system and profile that matches the panel (sticking) design for an extra clean look. The surface features a straight-grain hardwood texture that finishes easily and beautifully. A matching one-panel/one-lite sidelite panel is also available to provide even more configurations. Barrington® Craftsman offers a simple, clean and classic look and is available with three glazing options including a choice of two dramatic, decorative Specialty™ Glass designs or clear insulated glass.

High-Performance Fiberglass & Hardwood Door Beauty

Barrington® Craftsman and Sierra™ combine the performance of fiberglass with the beauty of authentic hardwood textures. The Sierra features a beige-colored fiberglass facing with the beautiful Masonite Mahogany texture - perfect for achieving that Southwest, Spanish or Mediterranean look. The Craftsman features a straight-grain hardwood texture, beautifully complementing Mission or Craftsman style homes.

Custom Glazing System

The Craftsman door is factory-glazed with a unique glazing system. The glass is integrated into the design of the door, maintaining the simple, clean look of the panel sticking (profile) without the use of traditional glazing frames.

Proprietary Decorative Glass Designs

Craftsman features a stunning, proprietary collection of Specialty™ decorative glass. Unlike typical fiberglass doors with glass inserts, Barrington doors are factory-glazed. Clear insulated glass is also offered.

Dentil Shelf Kit

Barrington® Craftsman is offered with an optional Dentil Shelf Kit. All necessary items are included in the kit: dentil shelf, adhesive and instructions.

True Square-Edge Design

The square-edge design of Barrington offers an attractive wood door appearance and permits easy field machining.

Engineered Stiles

Hinge and lock stiles feature matching hardwood edge providing excellent dimensional stability.

Internal Blocking

The lock area is reinforced with a lock block to provide a solid mounting surface for decorative hardware.

Rot-Resistant Bottom Rail

A high-performance composite material is utilized on all Barrington bottom rails, giving excellent rot-resistance.



BARRINGTON® SIERRA™ 2-PANEL CAMBER TOP PLANK



BARRINGTON® CRAFTSMAN WITH BCS GLASS AND APPLIED DENTIL SHELF

BARRINGTON® CRAFTSMAN WITH BCS GLASS AND APPLIED DENTIL SHELF



Barrington® Craftsman



LEFT: BARRINGTON® CRAFTSMAN WITH BC5 GLASS AND APPLIED DENTIL SHELF
TOP CENTER: BARRINGTON® CRAFTSMAN WITH BC4 GLASS AND APPLIED DENTIL SHELF



Barrington® Sierra™

RIGHT: BARRINGTON® SIERRA™ 2-PANEL CAMBER-TOP PLANK
BOTTOM CENTER: BARRINGTON® SIERRA™ 2-PANEL CAMBER-TOP

Masonite. The Beautiful Door.®



BC4 Glass

BC5 Glass

Barrington® Craftsman

Available Sizes & Designs

Width x Height	3-PNL. CRAFTSMAN WITH 1-LITE			1-PNL. WITH 1-LITE Sidelite		
	BC4	BC5	BS1	BC4	BC5	BS1
3'0" x 6'8"	■	■	■			
1'0" x 6'8"				■	■	■
1'2" x 6'8"				■	■	■

Note: All Craftsman doors and sidelites are offered factory-glazed only with a choice of three glass designs. Dentil shelf kits are optional and can be ordered separately. BS1 is clear insulated glass.

Barrington® Sierra™

Available Sizes & Designs

Width x Height	2-PNL. CAMBER TOP PLANK				2-PNL. ARCH TOP PLANK				FULL GLASS SIDELITE			
	BR1	BR2	BR3	BS1	BR1	BR2	BR3	BS1	BR1	BR2	BR3	BS1
3'0" x 6'8"	■	■	■	■	■	■	■	■				
3'0" x 8'0"	■	■	■	■	■	■	■	■				
3'6" x 8'0"	■	■	■	■	■	■	■	■				
1'0" x 6'8"									■	■	■	■
1'0" x 8'0"									■	■	■	■
1'2" x 6'8"									■	■	■	■
1'2" x 8'0"									■	■	■	■

Note: All Sierra sidelites are offered factory-glazed only with a choice of three decorative glass designs. BS1 is clear insulated glass.

Available as 20-minute Warnock-Hervey® listed fire door features an engineered steel core. Must be installed in accordance with NFPA 80 guidelines. Positive pressure (Part I or Part II) rating requires a listed gasket.





Build-in 4" Radius
Brass Hinges & Bronze
Adjustable Sill
Standard

TRANSOM S-869



BRM-103-BR1

BRM-451-BR1

TRANSOM F-869



BRM-451-BR1

BRM-204-BR1

BRM-451-BR1

TRANSOM C-869



BRM-154-BR1

BRM-301-BR1

BRM-154-BR1



BRM-411-BR1

TRANSOM T-869



BRM-451-BR1

BRM-405-BR1

BRM-451-BR1

* For Mahogany & Oak Transoms
call BWI for availability & pricing.



BR1 Brass		301-BR1	302-BR1	405-BR1	411-BR1	204-BR1	451-BR1	154-BR1
Barrington® Oak	BAR	1470	1270	1435	1405	1335	870	1035
Barrington® Mahogany	BRM	N/A	1460	N/A	N/A	N/A	1000	N/A

Green text indicates a Stock Item. Red text indicates a Non-Stock item (allow 3-4 week lead time).

Transom Options:



BR1

C-869

S-869

E-869

T-869

Compatible

Door Unit Sizes:

1'0" - 3'0" - 1'0" 1763

1'2" - 3'0" - 1'2" 1852

1'0" - 3'0" - 1'0" 1457

1'2" - 3'0" - 1'2" 1544

1'0" - 3'0" - 1'0" 1374

1'2" - 3'0" - 1'2" 1511

1'0" - 3'0" - 1'0" 875

1'2" - 3'0" - 1'2" 907

STAIN GRADE
see Option page

CLEAR PINE*
TRANSOMS
add 50% List

TRANSOM E-900



BARR-451-BR2

BARR-204-BR2



BARR-301-BR2

TRANSOM T-900



BARR-451-BR2

BARR-405-BR2

BARR-451-BR2

TRANSOM S-900



BARR-451-BR2

BARR-303-BR2

BARR-451-BR2



BARR-411-BR2

Reclaim 6" Radius
Oil Rubbed Bronze hinges
& Reverse Adjustable Sill
Standard

* For Mahogany & Oak Transoms
call BWI® for availability & pricing.



BR2 Antique Black		301-BR2	303-BR2	405-BR2	411-BR2	204-BR2	451-BR2	154-BR2
Barrington® Oak	8AR	1535	1335	1505	1470	1405	925	1100
Barrington® Mahogany	BRM	N/A	1525	N/A	N/A	N/A	1055	N/A

Transom Options:



BR2

S-900

E-900

T-900

C-900

Compatible

Door Unit Sizes:

1'0"-3'0"-1'0" 1778

1'0"-3'0"-1'0" 1696

1'0"-3'0"-1'0" 920

3'0" 775

1'2"-3'0"-1'2" 1830

1'2"-3'0"-1'2" 1748

1'2"-3'0"-1'2" 945

STAIN GRADE
see Option page

CLEAR PINE®
TRANSOMS
add 50% List.

TRANSOM T-725



BAR-415-BR3

BAR-415-BR3



BAR-301-BR3



BAR-411-BR3

TRANSOM E-725



BAR-204-BR3

BAR-204-BR3

BAR-204-BR3

TRANSOM S-725



BRM-451-BR3

BRM-451-BR3

BRM-451-BR3



* For Mahogany & Oak Transoms call BVM for availability & pricing.

BR3 Maximum		301-BR3	303-BR3	405-BR3	411-BR3	204-BR3	451-BR3	154-BR3
Barrington® Oak	BAR	1535	1335	1505	1470	1405	925	1100
Barrington® Mahogany	BRM	N/A	1525	N/A	N/A	N/A	1055	N/A

Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 3-4 week lead time).

Transom Options:						
BR3	S-725	E-725	T-725	G-725	C38-725	

Compatible

Door Unit Sizes: 1'0"-3'0"-1'0" 1490 1'0"-3'0"-1'0" 1395 1'0"-3'0"-1'0" 875 1'0"-3'0"-1'0" 1795 3'0" 728
1'2"-3'0"-1'2" 1610 1'2"-3'0"-1'2" 1530 1'2"-3'0"-1'2" 890 1'2"-3'0"-1'2" 1885

STAIN GRADE
see Option page

CLEAR PINE®
TRANSOMS
add 50% List



BRC-609-BCS

BRC-225-BCS

BRC-609-BCS



BSP-154-BS1

BSP-2-PANEL CAMBER-TOP

BSP-154-BS1

SPECIAL NOTE:

- All Craftsman Barrington Pre-Hung Doors include Bronze Adjustable Sills.
- Baldwin Hinges/Colors to complement Glass Insert Color:
 - Patina - Glass Inserts have Oil Rubbed Bronze Hinges.
 - Colored Glass Inserts have Oil Rubbed Bronze Hinges.
 - Clear Glass Inserts have Brass Hinges.
 - Sierra Doors have Brass Hinges.



BRC-609-BC4

BRC-225-BC4

BRC-609-BC4

Craftsman Demo Shelf
is optional. For applied
Shelf add \$105.00



BRC-225-BS1



BSP-2-PANEL CAMBER-TOP PLANK

		BC4	BCS	BS1	BC4	BCS	BS1
Barrington® Craftsman	BRC	1180	1180	1090	780	780	716

		BCP	BSN	BSN Arch Top	BSP Arch Top	BS1	BS2	BS3	BS1
Barrington® Sierra™	BSP/BSN	780	780	1350	1350	1005	1072	1072	908

BELLEVILLE®

Fiberglass Entry Doors

Belleville® Fiberglass Door Collection,

shaping grand entryways with great looks and maximum design flexibility



BLF-203-725



BLF-203-715

The Belleville® Fiberglass Door Collection from Masonite, demonstrates superior beauty and architectural design with maximum flexibility.

High-Performance Fiberglass & Hardwood Door Beauty

Specially engineered fiberglass door facings provide maximum protection and durability. Belleville® will not dent and resists splitting, cracking and warping.

Masonite's Variable-Depth Wood-Grain Texture

The surface of a Belleville® textured door produces an authentic wood door appearance by utilizing Masonite's variable depth, wood-grain texture that finishes easily and beautifully.

- The Belleville® 6-Panel Camber Top Textured features a straight-grain hardwood texture.

High-Definition Panel Profile

Belleville® features a high-definition panel profile creating excellent shadow lines and distinct panel designs.

- The Belleville® 6-Panel Camber Top features a custom shaker panel profile for an additional architectural feature.

Belleville® Smooth

All Belleville® designs are also offered with an incredibly smooth surface, ideal for painting and decorating.



BLF-127-900-3

Specialty™ Glass Inserts

All Specialty™ decorative glass inserts feature a triple-panel 1" insulated assembly providing maximum design selection and performance.

Engineered Stiles

Hinge and lock stiles feature laminated lumber providing excellent dimensional stability.

Internal Blocking

Lock area is reinforced to provide a solid mounting surface for decorative hardware.

True Square-Edge Design

The square-edge design of Belleville offers an attractive wood door appearance and permits easy field machining.

Rot-Resistant Bottom Rail

A high-performance, composite material is utilized on all Belleville® bottom rails, giving excellent rot-resistance.



BELLEVILLE® 6-PANEL CAMBER TOP WITH MONACO™ GLASS, BLF-127-315-3



BELLEVILLE® 6-PANEL CAMBER TOP WITH PANAMA™ GLASS, BLF-203-725



TOP LEFT: 8'0" BELLEVILLE® SMOOTH WITH AURORA™ GLASS, DOOR: BLS-201-207, SIDELITES: BSL-105-101-207
 BOTTOM LEFT: BELLEVILLE® TEXTURED WITH MARQUESE™ GLASS, DOOR: BLT-203-176, SIDELITES: BSL-450-178
 CENTER: BELLEVILLE® SMOOTH/TEXTURED WITH NAPLES™ GLASS, BLS-203-366

TOP RIGHT: BELLEVILLE® SMOOTH WITH MARQUESE™ GLASS, DOOR: BLS-106-230, SIDELITES: BSL-152-232 TRANSOM: S-646
 BOTTOM RIGHT: BELLEVILLE® TEXTURED WITH AURORA™ GLASS, DOOR: BLT-404-207, SIDELITES: BSL-450-207, TRANSOM: S-207

Available Sizes & Designs *Not all sizes and designs stocked at BWT®. Call for availability.*

All Belleville® sizes & designs are available with a smooth or textured wood-grain surface (except 1-panel arch, textured only).

	FLUSH	1-PNL. ARCH	2-PNL. SQUARE TOP	2-PNL. ARCH TOP	4-PNL. BLANK TOP	4-PNL. NEW ENGLAND	6-PNL. BLANK TOP	6-PNL.	6-PNL. CANTER TOP	8-PNL. ITALIAN/ARNT	1/2 GLASS SIDELITE	3/4 GLASS SIDELITE	FULL SIDELITE
Width x Height													
2'0" x 6'8"	●●●												
2'0" x 8'0"	●●●												
2'6" x 6'8"	●●●												
2'6" x 8'0"	●●●												
2'8" x 6'8"	●●●	■	●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●●			
2'8" x 8'0"	●●●		●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●●			
2'10" x 6'8"	●●●	■	●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●●			
2'10" x 8'0"	●●●		●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●●			
3'0" x 6'8"	●●●	■	●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●●			
3'0" x 8'0"	●●●		●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●●			
4'0" x 6'8"											●●●	●●●	●●●
4'0" x 8'0"											●●●	●●●	●●●
4'2" x 6'8"											●●●	●●●	●●●
4'2" x 8'0"											●●●	●●●	●●●

Notes: ● = Belleville® Smooth ■ = Belleville® Textured ● = Belleville® Smooth Flush is part of the Artek® line (see page 21)

* Features narrow panel layout. * Available as 20-minute Wyndok-Hersey® listed fire door (features an engineered solid core)

Must be installed in accordance with NFPA 80 guidelines. Positive pressure (Part I or Part II) rating requires a listed gasket.

Oakcraft®
Wood-grain • Textured
FIBERGLASS ENTRY DOORS

ARTEK®
Smooth Fiberglass Entry Doors

ArTek® & Oakcraft® Fiberglass Entry Doors, adding richness and significance to a home's exterior

ArTek® adds richness and significance to a home's exterior is the ArTek® advantage. The incredibly smooth fiberglass surface and variety of decorative glass options transform an entryway and enhance the value of any home.



True Square-Edge Design

The square-edge design offers an attractive wood door appearance and permits easy field machining.

Oakcraft® imparts incredible warmth on entryways with the look of natural wood. Paintable or stainable, these doors provide years of low-maintenance satisfaction. Oakcraft Entry Doors accentuate the personal style of the house and the homeowner with their exceptional, deep wood-grain texture.



Deep Wood-Grain Texture

The deep wood-grain texture yields a very realistic wood-like appearance and provides for easy finishing.

Internal Blocking

Lock area is reinforced to provide a solid mounting surface for hardware.

LIMITED
25
YEAR
WARRANTY



ARTEK® WITH GEORGIAN® GLASS, ART-106-S1F

High-Performance Fiberglass Facings

Specially engineered fiberglass door facings provide maximum protection and durability. ArTek® and Oakcraft® will not dent and resist splitting, cracking and warping.

Specialty™ Glass Inserts

All Specialty™ decorative glass inserts feature a triple-pane 1" insulated assembly providing maximum design selection and performance. Double-pane insulated glass inserts and flush-glazed frame designs are also available.

Engineered Stiles


Hinge and lock stiles feature laminated lumber providing excellent dimensional stability.

Rot-Resistant Bottom Rail

A high-performance composite material is utilized on all ArTek® and Oakcraft® bottom rails, providing excellent rot-resistance.



OAKCRAFT® WITH WOODBRIDGE® GLASS, OAK-304-443



ArTek® Smooth

Masonite. The Beautiful Door.®

Oakcraft® Textured

TOP LEFT: ARTEK® WITH AURORA® GLASS, DOOR: ATK-116-257, SIDELITE: ATKS-128-257, TRANSOM: T-207
 BOTTOM LEFT: ARTEK® WITH MARQUEE® GLASS, DOOR: B'D-436-484-774, SIDELITE: ATKS-450-774, TRANSOM: C-646
 CENTER: ARTEK® WITH AURORA® GLASS, DOOR: ATK-156-363, CENTER BOTTOM: OAKCRAFT®

TOP RIGHT: OAKCRAFT® WITH MARQUEE® GLASS, DOOR: OAK-116-774, SIDELITE: OAKS-128-774, TRANSOM: C-646
 BOTTOM RIGHT: OAKCRAFT® WITH MARQUEE® GLASS, DOOR: OAK-484-186, SIDELITE: OAKS-450-366, TRANSOM: T-266

Available Sizes & Designs Not all sizes and designs stocked at BWI®, Call for availability.

Width x Height	FLUSH	ARCH TOP 3-PANEL WITH 3/4 OVAL LITE	BLANK TOP 4-PANEL	NEW ENGLAND 4-PANEL	EVERBROW 4-PANEL	EVERBROW 5-PANEL WITH SCROLL	6-PANEL	9-PANEL	FLUSH SIDELITE	1-PANEL SIDELITE	1-PANEL WITH 3/4 LITE SIDELITE
2'0" x 6'8"	● ● ● ● ●										
2'0" x 7'0"	● ● ● ● ●										
2'0" x 8'0"	● ● ● ● ●										
2'6" x 6'8"	● ● ● ● ●			■			■				
2'6" x 7'0"	● ● ● ● ●			■							
2'6" x 8'0"	● ● ● ● ●										
2'8" x 6'8"	● ● ● ● ●	■	● ●	● ● ● ● ●	■ ●	■	● ● ● ● ●	■			
2'8" x 7'0"	● ● ● ● ●			● ● ● ● ●			● ● ● ● ●				
2'8" x 8'0"	● ● ● ● ●			● ● ● ● ●			● ● ● ● ●				
2'10" x 6'8"	● ● ● ● ●	■	● ●	● ● ● ● ●	■ ●	■	● ● ● ● ●	■			
2'10" x 7'0"	● ● ● ● ●			● ● ● ● ●			● ● ● ● ●				
2'10" x 8'0"	● ● ● ● ●			● ● ● ● ●			● ● ● ● ●				
3'0" x 6'8"	● ● ● ● ●	■	● ●	● ● ● ● ●	■ ●	■	● ● ● ● ●	■			
3'0" x 7'0"	● ● ● ● ●			● ● ● ● ●			● ● ● ● ●				
3'0" x 8'0"	● ● ● ● ●			● ● ● ● ●			● ● ● ● ●				
1'0" x 6'8"							● ●		● ● ● ● ●	● ● ● ● ●	■
1'0" x 7'0"									● ● ● ● ●	● ● ● ● ●	
1'0" x 8'0"									● ● ● ● ●	● ● ● ● ●	
1'2" x 6'8"									● ● ● ● ●	● ● ● ● ●	■
1'2" x 7'0"									● ● ● ● ●	● ● ● ● ●	
1'2" x 8'0"									● ● ● ● ●	● ● ● ● ●	

Notes: ● = ArTek® Smooth ■ = Oakcraft® Textured Features narrow panel layout ○ 10" sidelite available ● Available as 20-minute Warnock-Hesley® listed fire door features an engineered solid core
 Must be installed in accordance with NFPA-80 guidelines. Positive pressure (Part I or Part II) rating requires a listed gasket.

Masonite® Fiberglass Door Finishing Kit



BARRINGTON®
Fiberglass Entry Doors

BELLEVILLE®
Fiberglass Entry Doors

Oakcraft®
Wood-Grain Textured
Fiberglass Entry Doors

*Staining your fiberglass entry system has never been easier.
The fiberglass staining kit from Masonite comes with everything you need to achieve a high-quality finish.*



Complete Stain Kit:

- ZAR® exterior water-based polyurethane (Qt.)
- ZAR® wood stain (Pt.)
- Mineral spirits (4 oz.)
- Two 2" foam brushes
- One 2-1/2" synthetic bristle brush
- Cheese cloths
- Two stir sticks
- One pair of latex gloves
- Door staining instructions

STAIN KIT PRICE
\$70.00

Stain

Add rich, uniform color to your Oakcraft®, Belleville® or Barrington® fiberglass wood-grain textured door for an authentic wood door appearance. Choose from six distinct stain colors with a variety of shades, from light to dark.

Top Coat

Apply an exterior, UV resistant, water-based polyurethane top-coat. The result is a beautiful clear satin sheen finish.

Stain colors for textured wood-grain doors

With each stain color, a variety of shades, light to dark, can be achieved. Colors are approximate and may vary in actuality to printed materials.



Masonite® Steel Entry Doors

Presenting the ultimate collection of steel entry doors

The Masonite HD features our high-definition embossment, primed surface and many other features. The line also features unique designs, the 1-Panel Arch and the 2-Panel Camber Top.

Masonite® HD HIGH-DEFINITION STEEL ENTRY DOORS

- Primed White Surface (finishing required)
- High-definition panel profile
- Wide design selection, including the 1-Panel Arch and 2-Panel Camber Top
- 6'8", 7'0" and 8'0" heights
- Lock reinforcement
- Fire doors available (20- and 90-minute)
- Available with Steel-Edge or Wood-Edge construction
- 24-Gauge, galvanized, primed steel facings



High-definition panel profile provides excellent shadow lines, creating outstanding panel definition.



Masonite® HD Steel with Monaco glass.
Door: MHD-107-315-1, Sidelite: MDSL-152-315, Transom: S-315

LIMITED
10
YEAR
WARRANTY
WOOD-EDGE

Masonite® Steel Door Line *Not all sizes and designs stocked at BWI*. Call for availability.*

Width x Height	FLUSH	1-PANEL ARCH	CAMBER TOP 2-PANEL	2-PANEL W/ 22X05 C/O	ARCH TOP 3-PANEL	BLANK TOP 4-PANEL	NEW ENGLAND 4-PANEL	6-PANEL	8-PANEL PARQUET	9-PANEL	FLUSH	1-PANEL W/ 9X65 C/O	UNIVERSAL 2-PANEL	3-PANEL
2'0" x 6'8"	●	●												
2'0" x 7'0"	●	●												
2'0" x 8'0"	●													
2'6" x 6'8"	●	●						●	●					
2'6" x 7'0"	●	●						●	●					
2'6" x 8'0"	●													
2'8" x 6'8"	●	●	●	●	●	●	●	●	●	●	●			
2'8" x 7'0"	●	●				●		●	●					
2'8" x 8'0"	●				●									
2'10" x 6'8"	●	●	●	●	●	●	●	●	●	●	●			
2'10" x 7'0"	●	●				●		●	●					
2'10" x 8'0"	●				●									
3'0" x 6'8"	●	●	●	●	●	●	●	●	●	●	●			
3'0" x 7'0"	●	●				●		●	●					
3'0" x 8'0"	●			●										
1'0" x 6'8"											●			
1'0" x 7'0"											●			
1'0" x 8'0"											●	●	●	●
1'2" x 6'8"											●			
1'2" x 7'0"											●			
1'2" x 8'0"											●	●	●	●

Notes: ● Masonite® HD availability in Wood-Edge or Steel-Edge construction □ 10" x 6'8" or 8'0" sidelite available

● Available as Warnick-Henney® listed fire door (Wood-Edge is 20-minute only in 6'8" and 7'0" heights, Steel-Edge is 90-minute in 6'8", 7'0" and 8'0" heights, Masonite® HD only) F Features narrow panel layout



BWT® Entry Systems

BWT® utilizes only the highest quality components available for all assembled door units. Frames and brickmould are end treated and warranted against rot for years of continuing beauty and performance. High dam Young HP clad sills and compression weatherstripping are the best looking and best performing parts available.



CONTINUOUS HEAD, SILL AND MULL SYSTEM

Utilizing a continuous head, sill and one-piece mull assembly maximizes the stability and rigidity of any sidelit unit. This continuous system also simplifies assembly and virtually eliminates racking and bending. Bottom leg of brickmould is applied and caulked on top of the continuous sill.

NOTE: Mill finish is standard on all sills. Brass (pictured below) or bronze finishes are also available.



HIGH-PERFORMANCE WEATHER-STRIPPING

Vinyl wrapped, foam-filled, compression weatherstripping and Simple Solutions™ corner seals are added to the door frame providing protection against air and water infiltration.

HIGH-DAM ADJUSTABLE SILL

High-dam sills create a positive barrier to water infiltration. The high-dam design feature holds back the inevitable rise in the water level against the threshold as wind speed increases. Combining high-dam technology with a high quality door bottom seal, securely protects the bottom of the door unit from air and water infiltration.

The adjustable cap feature ensures a tight seal. BWT® standard spec sill is the Young Manufacturing H.P. clad adjustable sill. This sill features aluminum and cryogenically enhanced hardwood components for unsurpassed strength and performance.

BWT® optional sill spec is the Endura composite adjustable sill, pictured above. Endura's sills offer proven performance in an entry door sill, featuring an all-composite durable substrate and a narrow threshold cap with integrated seal that overlaps the high dam.



Endura Sill

EXTERIOR FRAME SYSTEM

Rot resistant warranted. Primed wood frames and applied brickmould are standard. For additional frame options: such as other frame depths, stainable frames, vinyl-clad frames, and PVC brickmould, please see page 80.



ASTRAGAL

By using a patented three-point sealing system, Endura's family of Ultimate Astragals performs like no other to eliminate water and air infiltration. No worries.

- Patented three-point sealing system eliminates water infiltration.
- Four-way positionable strikes for your convenience.
- Patented 'floating' boot lifts as the door is opened and seals when the door is shut.



CLAD-PLUS II DOOR FRAME

The BEST door frame ever. PERIOD.

Our polymer-treated hardwood frame is encased in premium high-impact vinyl for unbeatable protection. Patented insulators on the ends of the jambs and brickmold prevent water from wicking up the frame. Clad-Plus II features an exclusive patented zipper attachment that hides exposed fasteners and creates a completely waterproof shield! Clad-Plus II is available in inswing, single, double, and sidelite, and outswing single featuring Endura Bumper sill.

Maintenance free! Rot free!



CLAD-PLUS II
Door Frame



U.S. Patent #6,161,343
U.S. Patent #6,125,605

CLAD-PLUS II

Door Frame

Polymer treatment on the ends of the jamb.

Stop insulators do not allow water to wick from the face of the sill.

Insulators on the ends of jambs and brickmold prevent water from wicking up the frame.

Fast, easy assembly – just like conventional wood frames.

Patented zipper attachment hides exposed fasteners and creates a completely waterproof shield.

Maintenance-free, polymer-treated hardwood frame enclosed in high impact vinyl delivers unbeatable protection that NEVER NEEDS PAINTING.

Rot Zone



The ends of the frame are the most susceptible to rot. Young uses techniques unmatched in the industry to prevent water intrusion into the stop, brickmold, and jamb.


Wood exterior frames begin to deteriorate—or enter the “Rot Zone”—when the following conditions are present: moisture levels over 25%, temperatures above 70°, or the presence of fungus. In extensive tests designed to measure the effect of weather conditions on external door frames, we analyzed results on standard wood frames, other companies’ “rot proof” door frames, and Young’s Clad-Plus II.

YOUNG
OAK MILLWORK FOLKS®

Trilennium™

Swinging Door

Multi-point Locking System



DEADBOLTED



LATCHED



RELEASE


- Added Security – All 3 points latch and all 3 points are 1" deadbolts.
- Release of the latch and deadbolt is a single downward movement (Intuitive North American Function).
- Roller construction for easy, low force operation.
- Top and bottom latch design allows for door misalignment and 3/16" pull-in when deadbolted.
- Available on Wood or Fiberglass door applications.
- Designed & manufactured in the USA.
- 10-year limited warranty on materials and workmanship.



Trilennium™

Swinging Door

Multi-point Locking System



The World's only Entrance Grip Handle Sets for a multi-point system!



Horizon



Eclipse



Europa
Solid Brass PVD only



Pinnacle



Contempo
Solid Brass PVD only

Available Finishes:

- Bright Brass
- Antique Brass
- Bright Chrome
- Satin Chrome
- Satin Nickel
- Antique Nickel
- Victorian Bronze
- White
- Solid Brass (PVD "Lifetime" Coating)

W&F

Manufacturing Inc.

Innovations & Enduring Excellence in Architectural Hardware

BWI® MULTIPOINT LOCK OPTIONS

(prices include standard Eclipse Lever Set.)

See below for OPTIONAL GRIP TRIGGER Handle SET Pricing

SINGLE DOOR MULTI-POINT LOCK SYSTEMS Available for 6/8 & 7/0 Door Heights*

BWI® CODE	ITEM DESCRIPTION	FINISH	LIST
TECL3PAL	#3000 Active 3 Point Lock System - LH (includes active lever set and construction handle set)	US #3 Bright Brass	520.00
TECL3PAR	#3000 Active 3 Point Lock System - RH (includes active lever set and construction handle set)	US #3 Bright Brass	520.00
TECL15PAL	#3000 Active 3 Point Lock System - LH (includes active lever set and construction handle set)	US #15 Satin Nickel	530.00
TECL15PAR	#3000 Active 3 Point Lock System - RH (includes active lever set and construction handle set)	US #15 Satin Nickel	530.00
TECL10PAL	#3000 Active 3 Point Lock System - LH (includes active lever set and construction handle set)	US #10P Victorian Bronze	540.00
TECL10PAR	#3000 Active 3 Point Lock System - RH (includes active lever set and construction handle set)	US #10P Victorian Bronze	540.00
	Grip Trigger Handle Set (handle only)	3, 15, 10P	1,600.00

*6/8" height hardware available as special order. Red text indicates a Non-Stock item (allow 3-4 week lead time).

FRENCH DOOR MULTI-POINT LOCK SYSTEMS Active & Inactive Multipoint Hardware - Available for 6/8 Door Heights Only**

BWI® CODE	ITEM DESCRIPTION	FINISH	LIST
TECL3PATFL	Twin French Multi Point Lock System - LH (includes active & inactive eclipse lever set, french mortise strike set & construction handle set)	US #3 Bright Brass	1,008.00
TECL3PARFR	Twin French Multi Point Lock System - LH (includes active & inactive eclipse lever set, french mortise strike set & construction handle set)	US #3 Bright Brass	1,008.00
TECL15PATFL	Twin French Multi Point Lock System - LH (includes active & inactive eclipse lever set, french mortise strike set & construction handle set)	US #15 Satin Nickel	1,228.00
TECL15PARFR	Twin French Multi Point Lock System - LH (includes active & inactive eclipse lever set, french mortise strike set & construction handle set)	US #15 Satin Nickel	1,228.00
TECL10PATFL	Twin French Multi Point Lock System - LH (includes active & inactive eclipse lever set, french mortise strike set & construction handle set)	US #10P Victorian Bronze	1,040.00
TECL10PARFR	Twin French Multi Point Lock System - LH (includes active & inactive eclipse lever set, french mortise strike set & construction handle set)	US #10P Victorian Bronze	1,040.00

**7/0" & 8/0" height hardware available as special order

MULTI-POINT LOCK ADDITIONAL ITEMS

BWI® CODE	ITEM DESCRIPTION	FINISH	LIST
T68FML	#3020 French Mortise Inactive Lockset Only (non handed, handed set not included, 6/8" height only)	N/A	330.00
TECL3A	Trilennium Eclipse US3 Active Lever Set	Bright Brass	122.00
TECL3TT	Trilennium Eclipse US3 T-Turn Lever Set	Bright Brass	150.70
TECL3D	Trilennium Eclipse US3 Dummy Lever Set	Bright Brass	133.40
TECL15A	Trilennium Eclipse US15 Active Lever Set	Satin Nickel	160.40
TECL15TT	Trilennium Eclipse US15 T-Turn Lever Set	Satin Nickel	244.00
TECL15D	Trilennium Eclipse US15 Dummy Lever Set (for use with standard head and foot bolt)	Satin Nickel	219.70
TECL10PAA	Trilennium Eclipse US10P Active Lever Set	Victorian Bronze	126.00
TECL10PTT	Trilennium Eclipse US10P T-Turn Lever Set	Victorian Bronze	155.90
TECL10PD	Trilennium Eclipse US10P Dummy Lever Set (for use with standard head and foot bolt)	Victorian Bronze	139.00
TFMLSTRK3	Trilennium French Mortise Strike Set (US3)	Bright Brass	8.20
TFMLSTRK15	Trilennium French Mortise Strike Set (US15)	Satin Nickel	17.00
TFMLSTRK10P	Trilennium French Mortise Strike Set (US10P)	Victorian Bronze	12.80
TCONSTRHDW	Construction Hardware/handleset	N/A	16.40


How to Specify Masonite® Entry Systems

For Belleville®, Oakcraft®, ArTek®, and Masonite® Steel...

STEP 1


Door Specie and Panel Configuration

Note: Listed below are just some examples of our panel configurations. Please see each door section for additional designs.




BLS or BLT

Belleville® Wood-Grain
Textured or Belleville
Smooth
Fiberglass



OAK

Oakcraft® Wood-Grain
Textured Fiberglass



ATK

ArTek® Smooth
Fiberglass



MHD

Masonite® HD
High-Definition Steel
Wood-Edge

STEP 2

+ Glass Size and Shape

(see Specialty™ section for lite size and shape compatibility by door specie)

Half Glass (Door):

105	22" x 36"	Round Top
106	22" x 36"	Rectangle
107	22" x 37"	Camber Top

Half Glass (Sidelite):

200	8" x 36"	Round Top
129	8" x 36"	Rectangle

3/4 Glass (Door):

404	22" x 48"	Rectangle
410	22" x 47"	S-Top
104	22" x 47"	Rectangle

3/4 Glass (Sidelite):

450	8" x 48"	Rectangle
150	8" x 47"	Rectangle

Full Glass (Door):

109	22" x 64"	Round Top
122	22" x 64"	Rectangle
810	22" x 80"	Rectangle
120	20" x 64"	Rectangle
114	14" x 64"	Rectangle

Full Glass (Sidelite):

149	8" x 64"	Round Top
152	7" x 64"	Rectangle
151	9" x 64"	Rectangle
852	8" x 80"	Rectangle

Top Lites:

680	8" x 6"	Rectangle
822	22" x 6"	Rectangle
135	22" x 10"	Fan
228	22" x 10"	Rectangle
137	22" x 10"	Camber Top Fan

Ovals:

300	20" x 57"	Full Oval
304	16" x 40"	3/4 Oval
306	14" x 54"	Full Oval (1PNL BLT, SHD, MHD)

Misc:

203	8" x 42"	Round Top
136	7 1/2" x 18 1/2"	Rectangle
201	8" x 58"	Round Top



Rectangle



S-Top



Camber Top



Round Top



Oval



Fan



Camber Top Fan

Masonite has made it easy to specify doors to meet your design needs and performance requirements.

- First, choose door specie: Belleville®, Oakcraft®, ArTek® or Masonite® HD Steel
- Second, choose desired panel configuration (examples listed below, see each door section for complete design offering)
- Third, select glass size and shape that best suits the application (see Specialty™ section for lite size and shape compatibility by door specie)
- Fourth, select glass design and coming (see Specialty™ section for further glass design code detail)
- Fifth, combine steps one through four to create the desired product code

The result... Masonite. The Beautiful Door.®

STEP 3

+ Glass Design

(see Specialty™ section for further glass design code detail)

Decorative Glass

One Lite Inserts
010
Optional Interior
Wood Grille

Internal Blinds
8-size code-010

Venting Inserts
V-size code-010

External Grill
per design
example:
9 Lite = 09E

Internal Grill
per design
example:
9 Lite = 9I



Aurora™
207



Chandler™
553
551



Corvina
696



Cyprus™
693



Fremont™
768



Fundy™
264



Georgian™
515
517
518



Glace™
430
433



Lincoln
Park™
395



Madrid™
900



Marquise™
777
778
779



McIntire™
270



Menlo
Park™
575



Monaco™
315



Naples™
366



Nassau™
871



Oxford™
137



Panama™
724
725



Riviera™
620
615



Victorian™
856



Woodbridge™
920 921
442 443
727 728

STEP 4

= Complete Door/Sidelite

(examples)

= BLT-203-778
with BLTSL-450-778
Belleville® door with 8" x 42"
center lite with Marquise™
glass and 3/4 Belleville
sidelite with 8" x 48"
matching Marquise lite



= OAK-304-900
with OAKSL-450-900
Oakcraft® door with
16" x 40" 3/4 oval Madrid™
glass and 3/4 Oakcraft
sidelite with 8" x 48"
matching Madrid lite



= ATK-106-517
with ATKSL-129-517
ArTek® door with 22" x 36"
Georgian™ glass and ArTek
sidelite with 8" x 36"
matching Georgian lite



= MHD-137-921
with MHDSL-152-921
Masonite® HD Steel door
with 10" x 22" Woodbridge™
glass and Masonite HD Steel
sidelite with 7" x 64" matching
Woodbridge lite





SPECIALTY™ GLASS



Caming Types



Brass



Antique Black



Platinum



Black Chrome™



Nickel



Wrought Iron

Express your style with hand-crafted elegance. Just as your smile reflects the nature of your soul, your front entrance expresses the warmth and charm of your home. Decorative Glass captures light and transforms it into brilliance – leaving a lasting first impression of your home. Specialty™ Glass designs enhance both the appearance and value of your home without compromising security or privacy. Masonite® takes great pride in presenting a beautiful, creative and exciting collection of Decorative Glass Designs exhibiting unsurpassed quality in craftsmanship. Backed by years of industry experience, Masonite exceeds the expectations of homeowners, builders, remodelers and architects.

Masonite welcomes new designs to a classic decorative glass collection. The Corvina™, Cyprus™, Menlo Park™, Fremont™, and Lincoln Park™ are new, innovative designs which add depth to our collection. The Corvina™ and Cyprus™ are new and unique designs in wrought iron. We also offer a complete, new selection of caming and glass textures.

Sometimes, the subtle difference makes all the difference. Masonite stands behind its quality and workmanship – ensuring the excellence and beauty of your Decorative Glass for years to come.

Glass Textures



Specialty™ Glass Index

Aurora™ (207)	38
Chandler™ (551 • 553)	58
Corvina™ (696)	35
Cyprus™ (693)	34
Fremont™ (768)	36
Fundy™ (264)	63
Georgian™ (515 • 517 • 518)	40
Glaze™ (430 • 433)	59
Lincoln Park™ (395)	37
Madrid™ (900)	42
Marquise™ (777 • 778 • 779)	44
McIntire™ (270)	61
Menlo Park™ (575)	49
Monaco™ (315)	56
Naples™ (366)	48
Nassau™ (871)	46
Oxford™ (137)	62
Panama™ (724 • 725)	50
Riviera™ (615 • 620)	60
Victorian™ (856)	52
Woodbridge™ (920 • 921 • 442 443 • 727 • 728)	54
Vent Lites	64
Mini Blinds	65
One Lites	66
External Grille Lites	67
Internal Grille Lites	68

▼ Door: ILLS-106-315-1, Sidelites: ILLS-126-315, Transom: T-315




Centurion™ FRAMES

Standard on the decorative collection, the Centurion™ Frame won't discolor in UV exposure and remains stable in high heat applications. For applications not requiring a Centurion Frame, we offer our paintable, stainable frame in an almond base color.

Seal-rite™ CORNER SCREWS

Most frames feature Seal-rite™ Corner Screws, ensuring a superior seal and providing added resistance against intruders. Available in most sizes.



Transom Options:

Wrought Iron: T-693

Compatible

Door Unit Sizes:
1'0" x 3'0" x 1'0"
1'2" x 2'8" x 1'2"
1'2" x 3'0" x 1'2"

BLTL-450-693

BLT-404-693

BLTL-450-693



MHDL-157-693

MHD-123-693

MHDL-157-693



Ocotina Glass

Wrought Iron



The Cyprus™ is available
in wrought iron (693).



MHJ-107-693-1

TRANSOM T-693



BLSL-129-693

BLS-104-693-1

BLSL-129-693



		106-693	106-693-1	106-693-3	129-693	107-693	107-693-1	107-693-3	122-693	152-693	404-693	450-693	810-693	852-693
Belleville® Textured	BLT	966	966	966	638	989	N/A	989	1237	750	1105	731	1684	1140
Belleville® Smooth	BLS	917	917	917	600	940	N/A	940	N/A	719	1056	700	N/A	1109
Oakcraft®	OAK	917	N/A	N/A	619	940	N/A	N/A	1188	731	1092	712	1635	1096
ArTek®	ATK	870	N/A	N/A	555	893	N/A	N/A	1141	667	N/A	N/A	1588	1121
Masonite® HD Steel*	MHD	776	796	N/A	477	818	839	N/A	1047	585	935	586	1427	975

*BWP Masonite® HD inventory in wood edge. *Wood Edge sidelites are utilized on all MHD door units. See options page for double units.
Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 3-4 week lead time). Call BWP for pricing and availability.



BLTL-450-696

BLT-404-696

BLTL-450-696



BLSL-129-696

BLS-106-696-1

BLSL-129-696



MHPSL-152-696

MHP-122-696

MHPSL-152-696



*Corvina™ is available
in wrought iron. (696).*


Wrought Iron

*Oceania
Glass*



									
Wrought Iron		106-696	106-696-1	106-696-1	129-696	122-696	152-696-1	404-696-3	450-696
Belleville® Textured	BLT	954	954	954	626	1200	730	1073	713
Belleville® Smooth	BLS	905	905	905	588	N/A	699	1024	682
Oakcraft®	OAK	905	N/A	N/A	607	1150	711	1060	694
ArTek®	ATK	858	N/A	N/A	543	1104	647	N/A	N/A
Masonite® HD Steel*	MHO	764	764	N/A	465	1010	565	903	568

*BW® Masonite® HD inventory is wood edge. *Wood Edge sidelites are utilized on all MHO door units. See options page for double units.
Green text indicates a Stock Item. Red text indicates a Non-Stock Item (above 3-4 week lead time). Call BW® for pricing and availability.



Surf Glass


Antique Black Caming

Clear Beveled Glass

Granite Glass



Fremont™ is available in antique black (768) caming.



MHDSL-129-768

MHD-106-768-1

MHDSL-129-768

		106-768	106-768-1	106-768-3	134-768	122-768	152-768	404-768	450-768
Antique-Black									
Belleville® Textured	BLT	899	899	899	599	1122	693	1023	673
Belleville® Smooth	BLS	848	848	848	568	N/A	662	972	642
Oakcraft®	OAK	848	N/A	N/A	580	1073	674	972	654
ArTek®	ATK	801	N/A	N/A	516	1026	610	N/A	N/A
Masonite® HD Steel™	MHD	707	727	N/A	434	932	528	851	528

*BWT® Masonite® HD inventory is wood edge. *Wood-Edge substitutes are utilized on all MHD door units. See options page for double units.
Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 1-4 week lead time). Call BWT for pricing and availability.

Transom Options:

Antique Black 7-768 3

Compatible

Door Unit Sizes: 1'0"-3'0" - 1'0" 652

1'2"-2'8" - 1'2" 652

1'2"-3'0" - 1'2" 665

TRANSOM: 1-395



BLT-430-395

BLT-404-395



BLSL-152-395

BLS-137-395-6

BLSL-152-395



MHD-107-395



BLT-228-395-1



BLSL-129-395

BLS-106-395-1

BLSL-129-395



Lincoln Park™ is available in antique black (395) casing.



Amber Aqua Glass

Bubble Glass

Surf Glass

Narrow Reed Glass

Antique Black Casing

Clear Beveled Glass

Transom Options:		
Antique Black	1-395	\$
Compatible		
Door Unit Sizes:		
1'0" - 3'0" - 1'0"	721	
1'2" - 2'8" - 1'2"	721	
1'2" - 3'0" - 1'2"	738	

		106-395	106-395-1	106-395-3	129-395	107-395	107-395-1	107-395-3	137-395	137-395-6	137-395-3	152-395	228-395	228-395-6	228-395-3	404-395	450-395
Belleville® Textured	BLT	845	845	845	563	865	N/A	865	692	692	692	678	737	737	733	1015	672
Belleville® Smooth	BLS	796	796	796	532	816	N/A	816	643	643	643	646	688	688	688	906	644
Oakcraft®	OAK	796	N/A	N/A	544	816	N/A	N/A	643	N/A	N/A	659	688	N/A	N/A	966	653
ArTek®	ATK	749	N/A	N/A	480	769	N/A	N/A	596	N/A	N/A	595	641	N/A	N/A	N/A	N/A
Masonite® HD Steel*	MHD	655	675	N/A	398	695	705	N/A	522	N/A	N/A	513	N/A	N/A	N/A	845	527

*BW's Masonite® HD inventory is wood edge. *Wood Edge styles are utilized on all MHD door units. See options page for double units.
Green text indicates a stock item. Red text indicates a Non-Stock item (allow 3-4 week lead time). Call BWI for pricing and availability.



BLT-200-207

BLT-105-207-1

BLT-150-200-207



BLT-306-207



BLS-203-207



MHD-152-207

MHD-122-207

MHD-152-207



Aurora™ is available
in platinum
(207) casing.



BLS-129-207

BLS-106-207-1

BLS-129-207

		105-207	105-207-1	200-207	106-207	106-207-1	106-207-3	129-207	122-207	152-207	151-207	200-207	106-207	204-207
Belleville® Textured	BLT	976	976	605	904	904	904	561	1132	683	758	1137	1193	891
Belleville® Smooth	BLS	927	927	574	855	855	855	530	N/A	652	727	N/A	N/A	842
Oakcraft®	OAK	927	N/A	586	855	N/A	N/A	542	1083	664	739	1088	N/A	842
ArTek®	ATK	880	N/A	522	808	N/A	N/A	478	1036	600	675	1041	N/A	N/A
Masonite® HD Steel*	MHD	786	N/A	440	714	734	N/A	396	942	518	593	947	1023	721

*BWI® Masonite® HD inventory is wood edge. *Wood Edge sideites are utilized on all MHD door units. See options page for double units.
Green text indicates a stock item. Red text indicates a Non-Stock item (allow 3-4 week lead time). Call BWI® for pricing and availability.



OAK-300-207



BLTSL-450-207

BLS-304-207

BLTSL-450-207



BLTSL-450-207

BLT-404-207

BLTSL-450-207

- Granite Beveled Glass
- Zipper Bevel Glass
- Granite Glass
- Platinum Caming
- Aqua Glass
- Glue Chip Beveled Glass



	404-207	450-207	203-207	201-207
Platinum				
BLT	1021	673	828	1067
BLS	972	641	777	1038
OAK	972	654	N/A	N/A
ATK	N/A	N/A	N/A	N/A
MHD*	851	508	656	N/A

Transom Options:



Platinum

T-207

1

Compatible

Door Unit Sizes:

1'0" - 3'0" - 1'0"	658
1'2" - 2'8" - 1'2"	658
1'2" - 3'0" - 1'2"	658



MHD-122-515



BLT-200-515

BLT-105-515-J

BLT-280-515



BLT-152-517

BLT-106-517

BLT-152-517



MHD-136-517

Brass		105-515	105-515-J	200-515	106-515	106-515-1	106-515-3
Platinum		105-517	105-517-3	200-517	106-517	106-517-1	106-517-3
Antique Black					106-518	106-518-1	106-518-3
Belleville® Textured	BLT	777	777	513	726	726	726
Belleville® Smooth	BLS	728	728	482	677	677	677
Oakcraft®	OAK	728	N/A	494	677	N/A	N/A
ArTek®	ATK	681	N/A	430	630	N/A	N/A
Masonite® HD Steel®	MHD	587	N/A	348	536	556	N/A

*BWT® Masonite® HD inventory is wood edge. *Wood Edge sides are utilized on all MHD door units. See options page for double units. Green text indicates a stock item. Red text indicates a Non-stock item (4-6 week lead time). Call BWT® for pricing and availability.