



Georgian™ is available in brass (515), platinum (517) & antique black (518) coming.




Brass	107-515	107-515-1	107-515-2	136-515	142-515	152-515	300-515	304-515	306-515	404-515	470-515
Platinum	107-517	107-517-1	107-517-2	136-517	142-517	152-517	300-517	304-517	306-517	404-517	470-517
Antique Black											
BLT	741	N/A	741	N/A	1027	629	942	755	944	889	628
BLS	692	N/A	692	N/A	N/A	598	N/A	706	N/A	850	597
OAK	692	N/A	N/A	532	978	610	893	706	N/A	850	609
ATK	645	N/A	N/A	N/A	931	546	846	N/A	N/A	N/A	N/A
MHD*	551	571	N/A	391	837	464	752	585	754	729	483



Madrid™
is available in
antique black
(900) coming.



BLT-300-900 BL5-105-900-3 BL5-200-900



BL5-120-900 BL5-106-900-1 BL5-128-900



BLF-304-900



BL5-303-900



MHD-410-900



BL5-152-900 BL5-137-900-6

BL5-152-900

		105-900	105-900-3	200-900	106-900	106-900-1	106-900-3	129-900	122-900	152-900	151-900	300-900	304-900	135-900	135-900-6
Antique Black															
Belleville® Textured	BLT	900	900	616	882	882	882	596	1149	744	819	1123	949	674	674
Belleville® Smooth	BL5	851	851	585	833	833	833	564	N/A	713	788	N/A	900	625	625
Oakcraft®	OAK	851	N/A	597	833	N/A	N/A	576	1100	725	800	1074	900	625	N/A
ArTek®	ATK	804	N/A	533	786	N/A	N/A	512	1053	661	736	1027	N/A	578	N/A
Masonite® HD Steel*	MHD	710	N/A	451	692	712	N/A	430	959	579	654	933	779	484	N/A

*BW® Masonite® HD inventory is wood edge. *Wood-Edge sidelites are utilized on all MHD door units. See options page for double units.
Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 3-4 week lead time). Call BW® for pricing and availability.

TRANSOM E-900




BLT-450-900

BLT-404-900

BLT-450-900

TRANSOM E-900



MHD-122-900

MHD31-152-900



BLT-275-900-3



BLT-100-900



MHD-157-900

Antique Black
CamingClear Beveled
GlassGrey Beveled
Glass

Transom Options:

Antique Black	\$-900	\$	E-900	\$	T-900	\$	C38-900	\$
---------------	--------	----	-------	----	-------	----	---------	----

Compatible

Door Unit Sizes:	1'0"-3'0"-1'0"	1695	1'0"-3'0"-1'0"	1615	1'0"-3'0"-1'0"	788	3'0"	775
	1'2"-2'8"-1'2"	1695	1'2"-2'8"-1'2"	1615	1'2"-2'8"-1'2"	788		
	1'2"-3'0"-1'2"	1745	1'2"-3'0"-1'2"	1665	1'2"-3'0"-1'2"	812		

	107-900	107-900-1	107-900-3	137-900	137-900-6	137-900-3	306-900	404-900	450-900	410-900	201-900	228-900	275-900-3	228-900-6	201-900	1610-900	852-900
BLT	896	N/A	896	682	682	682	1108	1042	730	1128	870	720	720	720	1147	1634	1139
BLS	847	N/A	847	633	633	633	N/A	993	699	1079	821	670	670	670	1098	N/A	1090
OAK	847	N/A	N/A	633	N/A	N/A	N/A	993	712	1079	N/A	670	N/A	N/A	N/A	1585	1090
ATK	800	N/A	N/A	585	N/A	N/A	N/A	N/A	N/A	N/A	N/A	623	N/A	N/A	N/A	1538	1043
MHD*	706	726	N/A	512	N/A	N/A	938	872	565	958	680	N/A	N/A	N/A	N/A	1444	949



Transom Options:

Brass	C-645	\$	C38-645	\$	S-645	\$	E-645	\$	T-645	\$
Platinum	C-646	\$	C38-646	\$	S-646	\$	E-646	\$	T-646	\$
Antique Black	C-647	\$	C38-647	\$	S-647	\$	E-647	\$	T-647	\$

Compatible Door Unit Sizes:	1'0"-3'0"-1'0" 1620	3'0" 765	1'0"-3'0"-1'0" 1360	1'0"-3'0"-1'0" 1280	1'0"-3'0"-1'0" 675
	1'2"-2'8"-1'2" 1620		1'2"-2'8"-1'2" 1360	1'2"-2'8"-1'2" 1280	1'2"-2'8"-1'2" 675
	1'2"-3'0"-1'2" 1720		1'2"-3'0"-1'2" 1490	1'2"-3'0"-1'2" 1410	1'2"-3'0"-1'2" 675

MARQUISE ANTIQUE BLACK 779 IS A NON-STOCK ITEM REQUIRING A 3-4 WEEK LEAD TIME. ALL MARQUISE CAMING CARRY THE SAME PRICE.

		105-777	105-777-3	200-777	106-777	106-777-1	106-777-2	129-777	109-777	149-777	120/122-777	306-777
Brass		105-777	105-777-3	200-777	106-777	106-777-1	106-777-2	129-777	109-777	149-777	120/122-777	306-777
Platinum		105-778	105-778-3	200-778	106-778	106-778-1	106-778-2	129-778	109-778	149-778	120/122-778	306-778
Antique Black		105-779	105-779-3	200-779	106-779	106-779-1	106-779-2	129-779	109-779	149-779	120/122-779	306-779
Belleville® Textured	BLT	890	890	582	866	866	866	575	1100	852	1105	1193
Belleville® Smooth	BLS	841	841	551	817	817	817	544	N/A	821	N/A	N/A
Oakcraft®	OAK	841	N/A	563	817	N/A	N/A	556	1051	833	1056	N/A
ArTek®	ATK	794	N/A	499	770	N/A	N/A	482	1004	769	1009	N/A
Masonite® HD Steel®	MHD	700	N/A	417	676	696	N/A	410	910	687	915	1003

*BW® Masonite® HD Inventory is wood edge. *Wood-Edge sidelites are utilized on all MHD door units. See options page for double units. Green text indicates a Stock Item. Red text indicates a Non-Stock item (above 3-4 week lead time). Call BW® for pricing and availability.



Brass	152-777	151-777	300-777	304-777	135-777	135-777-6	404-777	450-777	410-777	203-777	201-777	810-777	852-777
Platinum	152-778	151-778	300-778	304-778	135-778	135-778-6	404-778	450-778	410-778	203-778	201-778	810-778	852-778
Antique black	152-779	151-779	300-779	304-779	135-779	135-779-6	404-779	450-779	410-779	203-779	201-779	810-779	852-779
BLT	691	765	1209	988	593	593	1017	709	1034	848	1094	1555	1015
BLS	660	734	N/A	939	544	544	968	678	985	799	1045	N/A	966
OAK	672	746	1160	939	544	N/A	968	690	985	N/A	N/A	1506	966
ATK	608	682	1113	N/A	497	N/A	N/A	N/A	N/A	N/A	N/A	1472	919
MHD*	526	600	1019	798	403	N/A	847	544	864	678	N/A	1365	825

Accent Window



A48-777	1365
A48-778	1365
A48-779	1365



MHDSL-152-871

MHD-155-871

MHDSL-152-871




TRANOM 5-871

BLT-404-871

BLSL-450-871



Nassau™ is available
in antique black
(871) casing.



TRANOM 1-871

BLSL-129-871

BLS-106-871-1


BLSL-129-871



OAK-300-871

		100-871	108-871-1	108-871-3	120-871	122-871	152-871	300-871	304-871
Antique Black									
Belleville® Textured	BLT	878	878	878	580	1135	691	1097	906
Belleville® Smooth	BLS	829	829	829	549	N/A	660	N/A	857
Oakcraft®	OAK	829	N/A	N/A	561	1086	672	1048	857
Artek®	ATK	782	N/A	N/A	497	1039	608	1001	N/A
Masonite® HD Steel*	MHD	688	708	N/A	415	945	526	907	716

*B&B® Masonite® HD inventory is wood edge. *Wood edge sidelites are utilized on all MHD door units. See options page for double units.
Green text indicates a stock item. Red text indicates a non-stock item (allow 3-4 week lead time). Call B&B® for pricing and availability.



Antique Black	135-871	135-871-G	404-871	450-871
BLT	615	615	1035	690
BLS	566	566	986	659
OAK	566	N/A	986	671
ATK	519	N/A	N/A	N/A
MHD*	425	N/A	865	525

Transom Options:	C-871	S	S-871	S	E-871	T	T-871	T
Antique Black	C-871	S	S-871	S	E-871	T	T-871	T
Compatible Door Unit Sizes:	1'0"-3'0"-1'0" 1680	1'0"-3'0"-1'0" 1390	1'0"-3'0"-1'0" 1310	1'0"-3'0"-1'0" 744	1'2"-2'8"-1'2" 1680	1'2"-2'8"-1'2" 1390	1'2"-2'8"-1'2" 1310	1'2"-2'8"-1'2" 744
	1'2"-3'0"-1'2" 1765	1'2"-3'0"-1'2" 1520	1'2"-3'0"-1'2" 1440	1'2"-3'0"-1'2" 774				



Naples™ is available in antique black (366) coming.



Clear Beveled Glass
Narrow Reed Glass
Granite Glass

Antique Black
Coming.



BLSL-450-366

BLSL-404-366



BLSL-203-366

MHD-121-366



BLSL-129-366

BLSL-106-366-1

BLSL-129-366

Transom Options:		
Antique Black	1-366	1
Compatible Door Unit Sizes:		
1'0" - 3'0" - 1'0"	758	
1'2" - 2'8" - 1'2"	758	
1'2" - 3'0" - 1'2"	775	

		106-366	106-366-1	106-366-3	129-366	122-366	152-366	404-366	450-366	203-366	810-366	852-366
Belleville® Textured	BLT	826	826	826	539	1061	678	1001	678	823	1509	962
Belleville® Smooth	BLS	777	777	777	508	N/A	647	952	647	774	N/A	931
Oakcraft®	OAK	777	N/A	N/A	526	1012	659	952	659	N/A	1460	943
ArTek®	ATK	730	N/A	N/A	456	965	595	N/A	N/A	N/A	1413	879
Masonite® HD Steel*	MHD	636	656	N/A	374	871	513	831	513	633	1319	797

*BWI® Masonite® HD inventory is wood edge. *Wood-Edge sidelites are utilized on all MHD door units. See options page for double units. Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 3-4 week lead time). Call BWI® for pricing and availability.

Accent Window



A48-366 1350

TRANSOM: 1-575



BLTL-450-575

BLT-404-575

BLTM-450-575



MHDN-152-575

MHD-122-575

MHDL-152-575

PRIVACY RATING								
Lead Glass	1	2	3	4	5	6	7	8
						6		



BL55L-125-575

BL5-106-575-1

BL5BL-129-575



Menlo Park™
is available
in antique black
(575) coming.

Transom Options:

Antique Black 1-575 5

Compatible

Door Unit Sizes: 1'0" - 3'0" - 1'0" 774
1'2" - 2'8" - 1'2" 774
1'2" - 3'0" - 1'2" 787

Antique Black
ComingClear Beveled
Glass

Narrow Reed Glass

Zipper Bevel Glass

Granite Glass

Gemite Beveled
Glass

		106-575	106-575-1	106-575-3	129-575	122-575	152-575	404-575	450-575	810-575	852-575
Belleville® Textured	BLT	909	909	909	611	1151	719	1030	706	1584	1055
Belleville® Smooth	BLS	860	860	860	580	N/A	688	981	674	N/A	1024
Oakcraft®	OAK	860	N/A	N/A	592	1102	700	997	686	1536	1036
ArTek®	ATK	813	N/A	N/A	528	1055	636	N/A	N/A	1488	972
Masonite® HD Steel®	MHD	719	739	N/A	446	961	554	860	560	1327	890

*BW® Masonite® HD inventory is wood edge. *Wood-Edge sidelites are utilized on all MHD door units. See options page for double units.
Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 3-4 week lead time). Call BW® for pricing and availability.



Panama™ is available in brass (724) & platinum (725) casing.

TRANSOM 7-225



OAKS-152-725

OAK-300-725

OAKSL-152-725



BLS-106-724-1

BLS-129-724



OAK-185-724



BLT-206-724



BLTL-450-724

BLT-834-724

BLTL-450-724

TRANSOM 5-725




MHD-140-725

MHD-140-725

MHD-140-725

															
Brass		105-724	105-724-3	200-724	106-724	106-724-1	106-724-3	129-724	109-724	149-724	120-724	122-724	152-724	151-724	300-724
Platinum		105-725	105-725-3	200-725	106-725	106-725-1	106-725-3	129-725	109-725	149-725	120-725	122-725	152-725	151-725	300-725
Belleville® Textured	BLT	877	877	562	839	839	839	539	1133	804	1071	1071	675	750	1080
Belleville® Smooth	BLS	828	828	531	790	790	790	508	N/A	773	N/A	N/A	648	719	N/A
Dakcraft®	OAK	828	N/A	543	790	N/A	N/A	520	1084	785	1022	1022	656	736	1011
ArTek®	ATK	781	N/A	479	743	N/A	N/A	456	1037	721	975	975	592	667	964
Masonite® HD Steel®	MHD	687	N/A	397	649	649	N/A	374	943	639	881	881	510	585	870

*BWT® Masonite® HD Steel® is wood edge. *Wood-Edge sidelites are utilized on all MHD door units. See options page for double units. Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 3-4 week lead time). Call BWT for pricing and availability.



Aqua Glass
Platinum
Caming Option
Granite Glass
Clear Beveled Glass

Transom Options:


Brass	0-724	\$	C38-724	\$	5-724	\$	E-724	\$	T-724	\$
Platinum	0-725	\$	C38-725	\$	5-725	\$	E-725	\$	T-725	\$

Compatible

Door Unit Sizes:	1'0"-3'0"-1'0" 1710	3'0" 730	1'0"-3'0"-1'0" 1410	1'0"-3'0"-1'0" 1330	1'0"-3'0"-1'0" 745
	1'2"-2'8"-1'2" 1710		1'2"-2'8"-1'2" 1410	1'2"-2'8"-1'2" 1330	1'2"-2'8"-1'2" 745
	1'2"-3'0"-1'2" 1800		1'2"-3'0"-1'2" 1535	1'2"-3'0"-1'2" 1455	1'2"-3'0"-1'2" 760

	904-724	135-724	135-724-E	404-724	450-724	306-724	203-724	410-724	201-724	810-724	852-724
Brass	904-724	135-724	135-724-E	404-724	450-724	306-724	203-724	410-724	201-724	810-724	852-724
Platinum	304-724	135-725	135-725-E	404-725	450-725	306-725	203-725	410-725	201-725	810-725	852-725
BLT	879	614	614	995	673	1038	833	1009	1078	1542	983
BL5	828	565	565	946	642	N/A	784	958	1029	N/A	952
OAK	828	565	N/A	946	654	N/A	N/A	958	N/A	1494	964
ATK	N/A	518	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1447	900
MHD*	707	424	N/A	805	508	873	643	837	N/A	1353	818

PANAMA BRASS 724 IS A NON-STOCK
ITEM REQUIRING A 3-4 WEEK LEAD TIME.
ALL PANAMA CAMING CARRY THE SAME PRICE.



MHD-103-856



BLSS-129-856

BLS-106-856-1



BL3-306-856



BL3-304-856



Victorian™ is available in antique black (856) casing.



BLSS-102-856

BL3-107-856-1

BLSS-102-856

Antique Black		106-856	106-856-1	106-856-3	129-856	122-856	102-856	100-856	104-856	125-856	125-856-1	104-856	450-856	203-856
Belleville® Textured	BLT	1081	1081	1081	743	1209	836	1242	1088	763	763	1173	767	900
Belleville® Smooth	BLS	972	972	972	712	N/A	805	N/A	1039	714	714	1124	736	851
Oakcraft®	OAK	972	N/A	N/A	724	1160	817	1193	1039	714	N/A	1134	748	N/A
ArTek®	ATK	925	N/A	N/A	660	1113	753	1146	N/A	667	N/A	N/A	N/A	N/A
Masonite® HD Steel*	MHD	831	851	N/A	578	1019	671	1052	918	573	N/A	1003	602	710

*BWT Maxonite® HD Steel is wood edge. *Wood-Edge Sidelites are utilized on all MHD door units. See options page for double units.
Green text indicates a Stock Item. Red text indicates a Non Stock Item (allow 1-4 week lead time). Call BWT for pricing and availability.



MHD-129-856 MHD-107-856 MHD-129-856



OAK-300-856



MHD-122-856



BLT-450-856 BLT-404-856 BLT-450-856

Clear Swirl Glass
Granite Bevel Cluster Glass
Zipper Bevel
Aqua Glass
Glue Chip Glass
Antique Black Caming



Antique Black	107-856	107-856-1	107-856-3	137-856	137-856-3	137-856-6	306-856	810-856	862-856
BLT	1035	N/A	1035	771	771	771	1206	1675	985
BLS	986	N/A	986	722	722	722	N/A	N/A	954
OAK	986	N/A	N/A	722	N/A	N/A	N/A	1626	966
ATK	939	N/A	N/A	674	N/A	N/A	N/A	1592	902
MHD*	845	865	N/A	581	N/A	N/A	1036	1485	820

Transom Options:

Antique Black 1-816 5

Compatible

Door Unit Sizes: 1'0"-3'0"-1'0" 1126
1'2"-2'8"-1'2" 1126
1'2"-3'0"-1'2" 1150



BL5SL-450-727

BL5-304-442

BL5SL-450-727



BL5-117-920-3

BL5SL-152-920



BL7SL-300-920

BL7-105-920-3

BL7SL-300-920



MHD-120/122-442



Glue Chip Glass

Clear Beveled Glass

Brass Carving Option

Granite Glass



		105-920	105-920-3	200-920	106-920	106-920-1	106-920-3	129-920	120/122-442	152-920	300-442
					106-921	106-921-1	106-921-3	129-921	120/122-441	152-921	300-441
Brass	BLT	819	819	547	765	765	765	528	1093	653	965
Belleville® Textured	BLT	819	819	547	765	765	765	528	1093	653	965
Belleville® Smooth	BL5	770	770	516	716	716	716	496	N/A	622	N/A
Oakcraft®	OAK	770	N/A	528	716	N/A	N/A	509	1044	634	916
ArTek®	ATK	723	N/A	464	669	N/A	N/A	445	997	570	859
Masonite® HD Steel*	MHD	629	N/A	382	575	595	N/A	363	903	488	775

*BWI® Masonite® HD inventory is wood edge. *Wood-Edge sidelites are utilized in all MHD door units. See options page for double units.
Green text indicates a Stock Item. Red text indicates a Non-Stock item (allow 3-4 weeks lead time). Call BWI® for pricing and availability.



MHD-410-443



BLTS-152-728

BLT-306-443

BLTS-152-728



Woodbridge[®]
is available in
brass (442, 727,
920) & platinum
(443, 728, 921)
coming



OAK-300-443



BLSS-129-921

BLS-306-921-1

BLSS-129-921



BLT-404-443

BLTS-450-728




BLS-225-921

Brass	304-442	404-442	450-727	410-442	228-920	228-920-3	228-920-6	152-727	306-442	137-920	137-920-3	137-920-6
Platinum	304-443	404-443	450-728	410-443	228-921	228-921-3	228-921-6	153-728	306-443	137-921	137-921-3	137-921-6
BLT	842	999	687	1047	684	684	684	664	967	596	596	596
BLS	793	950	656	998	633	633	633	633	N/A	547	547	547
OAK	793	950	668	998	633	N/A	N/A	645	N/A	547	N/A	N/A
ATK	N/A	N/A	N/A	N/A	586	N/A	N/A	581	N/A	500	N/A	N/A
MHD*	672	829	522	877	N/A	N/A	N/A	499	777	406	N/A	N/A



Monaco™
is available
in antique black
(315) coming.



Transom Options:

Antique Black	7-315	5	5-315	5
Compatible				
Door Unit Sizes:	1'0"-3'0"-1'0" 772	1'0"-3'0"-1'0" 1585		
	1'2"-2'8"-1'2" 772	1'2"-2'8"-1'2" 1585		
	1'2"-3'0"-1'2" 796	1'2"-3'0"-1'2" 1630		



BLSS-129-315

BLSS-106-315-1

BLSS-129-315

		105-315	105-315-3	200-315	106-315	106-315-1	106-315-3	129-315	122-315	152-315	151-315
Belleville® Textured	BLT	913	913	593	873	873	873	578	1172	690	765
Belleville® Smooth	BLS	864	864	562	824	824	824	547	N/A	659	734
Oakcraft®	DAK	864	N/A	574	824	N/A	N/A	559	1123	671	746
ArTek®	ATK	817	N/A	510	777	N/A	N/A	495	1076	607	682
Masonite® HD Steel*	MHD	723	N/A	428	683	703	N/A	413	982	525	600

*BWI® Masonite® HD inventory is wood edge. *Wood-edge satellites are utilized on all MHD door units. See options page for double units.
Green text indicates a stock item. Red text indicates a non-stock item (allow 3-4 week lead time). Call BWI for pricing and availability.



BL-152-315 BLS-137-315-B BLSB-152-315



BLSL-200-315 BLT-105-315-B BLSL-200-315



BLB-203-315



MHDSL-129-315 MHD-107-315 MHDSL-129-315

Clear Swirl Glass

Wide Reed Glass

Antique Black
Caming

Granite Glass



	404-315	450-315	103-315	107-315	107-315-1	107-315-2	137-315	137-315-1	137-315-2	137-315-3	201-315	010-315	052-315
BLT	1038	703	842	888	N/A	888	626	626	626	1093	1616	1049	
BLS	989	672	793	839	N/A	839	577	577	577	1044	N/A	1017	
OAK	989	684	N/A	839	N/A	N/A	573	N/A	N/A	N/A	1567	1030	
ATK	N/A	N/A	N/A	792	N/A	N/A	530	N/A	N/A	N/A	1520	967	
MHD*	868	558	672	718	718	N/A	456	N/A	N/A	N/A	1426	884	

Accent Window



A48-315 1450



Chandler® is available in black chrome® (551) & nickel (553) coming.

Black CHROME

Clear Beveled Glass

Aqua Glass

Nickel Coming Option

Glue Chip Glass



BLSL-129-551

BLS-106-551-1

BLSL-129-551

MHD-120/122-555

MHD-152-553



BLTL-450-551

BLT-404-551

BLTL-450-551



BLTL-450-551

BLT-404-553

BLTL-450-553



CHANDLER NICKEL 553 IS A NON-STOCK ITEM REQUIRING A 3-4 WEEK LEAD TIME. ALL CHANDLER COMING CARRY THE SAME PRICE.

		106-551	106-551-1	106-551-3	129-551	120-551	122-551	152-551	404-551	450-551
		106-553	106-553-1	106-553-3	129-553	120-553	122-553	152-553	404-553	450-553
Belleville® Textured	BLT	935	935	935	635	1214	1214	780	1116	780
Belleville® Smooth	BLS	886	886	886	604	N/A	N/A	749	1067	749
Dakcraft®	OAK	886	N/A	N/A	616	1165	1165	761	1067	761
ArTek®	ATK	839	N/A	N/A	552	1118	1118	697	N/A	N/A
Masonite® HD Steel®	MHD	745	765	N/A	470	1024	1024	615	945	635

*BWL: Masonite® HD inventory is wood edge. *Wood Edge sidelites are utilized on all MHD door units. See options page for double units. Green text indicates a Stock Item. Red text indicates a Non-Stock item (allow 3-4 week lead time). Call BWL for pricing and availability.



Glace™ is available in brass (430) & platinum (433) casing.



Clear Beveled Glass

Brass Casing Option



Brass		106-430	106-430-1	106-430-2	129-430	120/122-430	152-430	125-430	125-430-6
Platinum		120/122-433	120/122-433	120/122-433	120/122-433	120/122-433	120/122-433	120/122-433	120/122-433
Belleville® Textured	BELT	684	684	684	509	831	599	574	574
Belleville® Smooth	BELS	635	635	635	478	N/A	568	525	525
Oakcraft®	OAK	635	N/A	N/A	490	782	580	525	N/A
ArTek®	ATK	588	N/A	N/A	426	735	516	478	N/A
Masonite® HD Steel*	MHD	494	514	N/A	344	641	434	384	N/A

*BWI® Masonite® HD inventory is wood edge. *Wood-Edge sidelites are sold on all MHD door units. See options page for double units. Green text indicates a Stock Item. Red text indicates a Non Stock Item (allow 3-4 week lead time). Call BWI for pricing and availability.



Riviera™ is available in brass (615, 620) caming.



BLTSL-450-620

BLT-404-620

BLTSL-450-620



MHD-120/122-615

MHD6L-152-615



Glue Chip Glass

Beveled Glue Chip Glass

Brass Caming



MHD-135-620



BLTSL-200-620

BLT-105-620-3

BLTSL-250-620

		110-620	105-620-3	1200-620	106-620	106-620-1	106-620-3	120-620	120/122-620	153-620	135-620	135-620-6	404-620	410-620	120/122-615	152-615
Brass																
Belleville® Textured	BLT	770	770	514	741	741	741	491	924	623	582	582	935	648	946	604
Belleville® Smooth	BLS	720	720	483	692	692	692	460	N/A	592	533	533	886	616	N/A	572
Oakcraft®	OAK	720	N/A	495	692	N/A	N/A	472	875	604	533	N/A	886	629	896	585
ArTek®	ATK	673	N/A	431	645	N/A	N/A	408	828	540	486	N/A	N/A	N/A	848	521
Masonite® HD Steel*	MHD	579	N/A	349	551	571	N/A	326	734	458	412	N/A	765	504	751	433

*BWI® Masonite® HD inventory is west edge. *Wood-Edge sublets are utilized on all MHD door units. See options page for double units. Green text indicates a Stock Item. Red text indicates a Non-Stock item (allow 3-4 week lead time). Call BWI® for pricing and availability.



BLT-129-270L BLS-106-270-1 BLTSL-129-270R



BLTSL-450-270L BL-494-270 BLTSL-450-270R



BLS-304-270



OAKSL-152-270L OAK-309-270 OAKSL-152-270R



McIntire® is an etched glass.

Etched Glass

Glass Chip Silk

Screen Glass

Clear Glass



Etched		106-270	106-270-1	106-270-3	129-270L	129-270R	304-270	152-270L	152-270R	304-270	404-270	450-270L	450-270R
Belleville® Textured	BLT	640	640	640	463	493	804	532	532	730	731	515	515
Belleville® Smooth	BLS	591	591	591	432	432	N/A	501	501	684	682	484	484
Oakcraft®	OAK	591	N/A	N/A	444	444	755	513	513	697	698	496	496
AzTek®	ATK	544	N/A	N/A	380	380	708	449	449	N/A	N/A	N/A	N/A
Masonite® HD Steel*	MHD	450	470	N/A	298	298	614	367	367	560	561	350	350

*BWM® Masonite® HD inventory is wood edge. *Wood-Edge sideframes are utilized on all MHD door units. See options page for double units.
Green text indicates a Stock item. Red text indicates a First Stock item (allow 3-4 week lead time). Call BWM® for pricing and availability.



Oxford™ is a v-groove glass.



BLS-203-137



BLS-304-137



MHD-122-137



BLTSL-152-137

BLT-306-137

BLTSL-152-137

Glue Chip

V-Groove



BLTSL-456-137

BLT-404-137

BLTSL-450-137



BLTSL-129-137

BLS-106-137-1

BLTSL-129-137



		106-137	106-137-1	106-137-2	129-137	122-137	152-137	300-137	304-137	404-137	456-137	203-137	306-137
Belleville® Textured	BLT	650	650	650	482	767	530	767	674	725	514	628	752
Belleville® Smooth	BLS	601	601	601	451	N/A	499	N/A	625	676	483	579	N/A
Oakcraft®	OAK	601	N/A	N/A	463	718	511	718	641	692	495	N/A	N/A
AiTek®	ATK	554	N/A	N/A	399	671	447	671	N/A	N/A	N/A	N/A	N/A
Masonite® HD Steel®	MHD	460	480	N/A	317	577	365	577	504	555	369	958	582

*BW1® Masonite® HD Steel® inventory is wood edge. **Wood-Edge sidelites are utilized on all MHD door units. See options page for double units. Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 3-4 week lead time). Call BW1® for pricing and availability.



LSS-129-264 BLS-106-264-1



BUTL-450-264 BUL-404-264 BULSL-450-264



BLS-304-264



Fundy™ is an etched glass.



OAKSL-152-264 OAK-300-264 OAKSL-152-264



MHD-135-304



MHD-120/122-264

Clear Glass

Etched Glass



Etched		106-264	106-264-1	106-264-3	129-264	120-264	122-264	152-264	300-264	304-264	135-264	135-264-6	404-264	450-264
Belleville® Textured	BLT	590	590	590	431	656	656	478	727	690	561	561	656	470
Belleville® Smooth	BLS	541	541	541	400	N/A	N/A	447	N/A	657	512	512	607	439
Oakcraft®	OAK	541	N/A	N/A	412	607	607	459	678	657	512	N/A	607	451
ArTek®	ATK	494	N/A	N/A	348	560	560	395	631	N/A	465	N/A	N/A	N/A
Masonite® HD Steel®	MHD	400	420	N/A	266	486	486	313	537	500	371	N/A	466	325

*BW® Masonite® HD inventory is wood edge. *Wood-Edge substitutes are utilized on all MHD door units. See options page for double units.
Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 3-4 week lead time). Call BW® for pricing and availability.

VENTING INSERTS

OUR VENTING INSERTS HAVE BEEN DESIGNED TO MEET THE DEMANDS OF THE CUSTOMER. THEY ARE VIRTUALLY MAINTENANCE-FREE AND WILL NOT YELLOW OR CRACK. THE PRECISION MECHANISM AFFORDS SMOOTH OPENING OF THE LOWER SASH.




Clear		V100-010*	V100-010*	V120-010*	V120/V122-010*	V151-010*
Belleville® Textured	BLT	710	603	445	810	460
Belleville® Smooth	BLS	661	554	414	N/A	429
Oakcraft®	OAK	661	554	425	761	441
ArTek®	ATK	N/A	507	362	714	377
Masonite® HD Steel*	MHD	520	413	280	640	295

*MHD and SHD doors are available with Wood-Edge or Steel-Edge construction.
 *Wood-Edge sidelites are utilized on all MHD door units. * Sizes are 22" x 47" (V104) and 8" x 47" (V150).
 *Almond stainable frames are not available. Call BWI® for pricing and availability.
 Green text indicates a Stock Item. Red text indicates a Non-Stock item (allow 3-4 week lead time).



MHD-V100-010



Internal Grilles		V160-121*	V106-121*	V120-041*	V120/V122-101*	V151-061*
Belleville® Textured	BLT	809	662	459	854	550
Belleville® Smooth	BLS	760	613	428	N/A	519
Oakcraft®	OAK	760	613	440	805	531
ArTek®	ATK	N/A	566	376	758	467
Masonite® HD Steel*	MHD	619	472	294	664	385

*MHD and SHD doors are available with Wood-Edge or Steel-Edge construction.
 *Wood-Edge sidelites are utilized on all MHD door units. * Sizes are 22" x 47" (V104) and 8" x 47" (V150).
 *Almond stainable frames are not available. Call BWI® for pricing and availability.
 Green text indicates a Stock Item. Red text indicates a Non-Stock item (allow 3-4 week lead time).

INTERNAL BLINDS



MHDL-8132-010 MHD-8120/122-01RL MHD5L-8152-010

IMAGINE A BLIND YOU DON'T HAVE
TO DUST OR CLEAN. SET IN OUR ENERGY
EFFICIENT SEALED UNITS AND PROTECTED
WITH TEMPERED GLASS INSIDE AND OUT



MHD5L-8129-010 MHD-8106/160-01RL MHD5L-8129-010

Tilt Only



MHD5L-8450-010 MHD-8404-010 MHD5L-8450-010



A single touch
adjustment
opens or closes
the blind
giving
you easy
control over
light and
privacy.



Internal Blinds - Tilt Only	8110-010	8106-010	8129-010	8404-010	8450-010	8120/122-010	8132-010	8136-090*	8120/122-150*	
Internal Blinds - Raise & Lower	8160-01RL	8106-01RL				8120/122-01RL				
Belleville® Textured	BLT	666 / 772RL	654 / 671RL	445 / No RL	755 / No RL	465 / No RL	701 / 750RL	473 / No RL	737 / No RL	815 / No RL
Belleville® Smooth	BLS	617 / 723RL	605 / 622RL	414 / No RL	706 / No RL	434 / No RL	N/A	442 / No RL	688 / No RL	N/A
Oakcraft®	OAK	617 / 723RL	605 / 622RL	426 / No RL	722 / No RL	446 / No RL	652 / 701RL	454 / No RL	688 / No RL	766 / No RL
ArTek®	ATK	N/A	558 / 575RL	362 / No RL	N/A	N/A	605 / 654RL	390 / No RL	641 / No RL	719 / No RL
Masonite® HD Steel*	MHD	476 / 582RL	464 / 481RL	280 / No RL	585 / No RL	300 / No RL	511 / 560RL	308 / No RL	547 / No RL	625 / No RL

*MHD and SHD doors are available with Wood-Edge or Steel-Edge construction. *Wood-Edge sidelites are utilized on all MHD door units.

*Almond stainable frames are not available. Call BWM for pricing and availability. Green text indicates a Stock item. Red text indicates a Non-Stock item (allow 3-4 week lead time).

ONE LITE INSERTS *Clear Glass*



One Lite Inserts		135-010	108-010 ¹	080-010 ¹	136-010	304-010	404-010 ²	450-010	410-010	380-010	122-010
Belleville® Textured	BLT	521	537	N/A	N/A	629	609	393	660	689	553▲
Belleville® Smooth	BLS	472	N/A	N/A	N/A	580	560	361	611	N/A	N/A
Oakcraft®	OAK	472	487	N/A	464	580	576	374	611	640	504▲
ArTek®	ATK	425	440	380	N/A	N/A	N/A	N/A	N/A	593	457▲
Masonite® HD Steel*	MHD	331	346	303	343	459	439	248	490	499	363▲

*MHD doors are available with Wood-Edge or Steel-Edge construction. *Wood-Edge sidelites are utilized on all MHD door units. *Almond stainable frames are not available. Call BWI® for pricing and availability. Green text indicates a Stock Item. Red text indicates a Non-Stock item (allow 3-4 week lead time). ▲ Available in 2'6".



One Lite Inserts		106-010	129-010	105-010	200-010	107-010
Belleville® Textured	BLT	515▲	368	580	385	634
Belleville® Smooth	BLS	466▲	337	531	354	585
Oakcraft®	OAK	466▲	349	531	366	585
ArTek®	ATK	419	285	484	302	538
Masonite® HD Steel*	MHD	325▲	203	410	219	444

*MHD doors are available with Wood-Edge or Steel-Edge construction. *Wood-Edge sidelites are utilized on all MHD door units. *Almond stainable frames are not available. Call BWI® for pricing and availability. Green text indicates a Stock Item. Red text indicates a Non-Stock item (allow 3-4 week lead time). ▲ Available in 2'6".



One Lite Inserts		152-010	109-010 ¹	149-010 ¹	114-010 ²	810-010	052-010
Belleville® Textured	BLT	378	695	463	399	835▲	645
Belleville® Smooth	BLS	347	N/A	432	N/A	N/A	610
Oakcraft®	OAK	359	646	444	380	788▲	599
ArTek®	ATK	295	597	380	316	755▲	560
Masonite® HD Steel*	MHD	213	525	298	234	578▲	454

*MHD doors are available with Wood-Edge or Steel-Edge construction. *Wood-Edge sidelites are utilized on all MHD door units. *Almond stainable frames are not available. Call BWI® for pricing and availability. Green text indicates a Stock Item. Red text indicates a Non-Stock item (allow 3-4 week lead time). ▲ Available in 2'6".

External GRILLE INSERTS



External Grilles		105-11E	200-03E ¹	120W122-15E	152-05E	120W122-100 ¹	810-18E	115-05E	133-04E	822-04E ¹	160-09E	100-05E	129-03E
Belleville® Textured ¹	BLT	585	395	553	375	617	729	505	541	540	520	515	369
Belleville® Smooth	BLS	536	363	N/A	344	N/A	N/A	456	492	491	471	466	337
Oakcraft®	OAK	536	375	504	356	568	680	456	492	491	471	466	350
ArTek®	ATK	489	311	457	292	521	633	409	445	444	N/A	419	286
Masonite® HD Steel*	MHD	395	229	363	210	427	559	315	351	350	330	325	204

*MHD doors are available with Wood-Edge or Steel-Edge construction. *Wood-Edge sidelites are utilized on all MHD door units. ¹Almond stainable frames are not available. Call RWH for pricing and availability. Green text indicates a Stock item. Red text indicates a Non-Stock item (allow 3-4 week lead time).

GRILLE INSERTS *Internal*

GRILLE TYPES*



A
White Slimline
1/4" x 5/16"



B
White Traditional
1/4" x 5/8"



C
White Wide Traditional
3/8" x 7/8"



D
White Georgian
5/16" x 5/8"



E
Sandalwood Traditional
1/4" x 5/8"



G
Brass Slimline
1/4" x 5/16"



H
Tudor
1/4" x 5/8"



K
Two Tone
TAN-outside
WHITE-inside
1/4" x 5/8"

SPECIFY GRILLE TYPE

Internal Grilles			135-051	106-091	129-031	124-06P	106-09P	160-09P1
Belleville® Textured	B / D	BLT	532 / 532	552 / 563▲	378 / 378	392 / N/A	581 / N/A	603 / N/A
Belleville® Smooth	B / D	BLS	483 / 483	503 / 514▲	347 / 347	361 / N/A	532 / N/A	554 / N/A
Oakcraft®	B / D	OAK	483 / 483	503 / 514▲	359 / 359	372 / N/A	532 / N/A	554 / N/A
ArTek®	B / D	ATK	436 / 436	456 / 467	295 / 295	309 / N/A	485 / N/A	N/A
Masonite® HD Steel*	B / D	MHD	342 / 342	362 / 373▲	212 / 212	227 / N/A	391 / N/A	413 / N/A

*MHD doors are available with Wood-Edge or Steel-Edge construction. **Wood-Edge sidelites are utilized on all MHD door units.

†Almond frames are not available. Call BWT® for pricing and availability. ▲ Available in 2'6".

Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 3-4 week lead time).

SPECIFY GRILLE TYPE

Internal Grilles			114-101†	122-101	122-151	152-051	152-06P	120/122-09P
Belleville® Textured	B / D	BLT	610 / 623	610 / N/A▲	607 / 618▲	439 / 439	465 / N/A	630 / N/A
Belleville® Smooth	B / D	BLS	N/A	N/A	N/A	408 / 408	434 / N/A	N/A
Oakcraft®	B / D	OAK	561 / 572	561 / N/A▲	558 / 569▲	420 / 420	446 / N/A	589 / N/A
ArTek®	B / D	ATK	514 / 525	514 / N/A▲	511 / 522▲	356 / 356	382 / N/A	542 / N/A
Masonite® HD Steel*	B / D	MHD	420 / 431	420 / N/A▲	417 / 428▲	274 / 274	300 / N/A	448 / N/A

*MHD doors are available with Wood-Edge or Steel-Edge construction. **Wood-Edge sidelites are utilized on all MHD door units.

†Almond frames are not available. Call BWT® for pricing and availability. ▲ Available in 2'6".

Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 3-4 week lead time).

SPECIFY GRILLE TYPE

Internal Grilles			107-091	404-121	450-041	810-101	810-121	852-061
Belleville® Textured	B / D	BLT	705 / N/A	621 / 634	443 / 443	705 / 717▲	705▲ / N/A	539 / 539
Belleville® Smooth	B / D	BLS	656 / N/A	572 / 583	412 / 412	N/A	N/A	508 / 508
Oakcraft®	B / D	OAK	656 / N/A	572 / 583	424 / 424	656 / 667▲	656▲ / N/A	520 / 520
ArTek®	B / D	ATK	609 / N/A	N/A	N/A	608 / 619▲	608▲ / N/A	456 / 456
Masonite® HD Steel*	B / D	MHD	515 / N/A	451 / 462	298 / 298	534 / 545▲	534▲ / N/A	394 / 394


*MHD doors are available with Wood-Edge or Steel-Edge construction. **Wood-Edge sidelites are utilized on all MHD door units.

†Almond frames are not available. Call BWT® for pricing and availability. ▲ Available in 2'6".

Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 3-4 week lead time).

* Call BWT® for design, availability and pricing.

Masonite® Door Line



MASONITE® HD STEEL														
6'8" SINGLES	2'0" x 6'8"	MHD	254.00	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	2'4" x 6'8"	MHD	254.00	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	2'6" x 6'8"	MHD	254.00	N/A	N/A	N/A	N/A	N/A	N/A	N/A	260.00	N/A	N/A	N/A
	2'8" x 6'8"	MHD	254.00	380.00	305.00	N/A	380.00	303.00*	N/A	N/A	260.00	N/A	380.00	380.00
	2'10" x 6'8"	MHD	258.00	380.00	380.00	N/A	380.00	380.00	N/A	N/A	264.00*	N/A	380.00	380.00
	3'0" x 6'8"	MHD	258.00	305.00	305.00	N/A	305.00	305.00*	N/A	N/A	264.00	N/A	305.00	305.00
	3'6" x 6'8"	MHD	285.00	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
7'0" SINGLES	2'6" x 6'8"	MHD	324.00	N/A	N/A	N/A	N/A	N/A	N/A	N/A	328.00	N/A	N/A	N/A
	2'8" x 6'8"	MHD	406.00	N/A	N/A	N/A	N/A	N/A	N/A	N/A	410.00	N/A	N/A	N/A
	2'10" x 6'8"	MHD	324.00	N/A	N/A	N/A	N/A	N/A	N/A	N/A	328.00	N/A	N/A	N/A
	3'0" x 6'8"	MHD	406.00	N/A	N/A	N/A	N/A	N/A	N/A	N/A	410.00	N/A	N/A	N/A
8'0" HEIGHTS	3'0" x 8'0"	MHD	406.00	N/A	N/A	N/A	N/A	N/A	N/A	N/A	410.00	N/A	N/A	N/A
BELLEVILLE® TEXTURED														
SINGLES	3'0" x 6'8"	BLT	N/A	455.00	N/A	455.00	455.00	N/A	N/A	N/A	455.00	455.00	455.00	N/A
	2'8" x 6'8"	BLT	530.00	530.00	N/A	530.00	530.00	530.00	N/A	N/A	530.00	530.00	N/A	N/A
	3'0" x 6'8"	BLT	530.00	455.00	N/A	455.00	455.00	530.00	N/A	N/A	455.00	455.00	455.00	N/A
	2'8" x 8'0"	BLT	690.00	N/A	N/A	690.00	N/A	N/A	N/A	N/A	690.00	N/A	N/A	N/A
	3'0" x 8'0"	BLT	690.00	N/A	N/A	690.00	N/A	N/A	N/A	N/A	690.00	N/A	690.00	N/A
BELLEVILLE® SMOOTH														
SINGLES	3'0" x 6'8"	BLS	N/A	N/A	N/A	400.00	400.00	N/A	N/A	N/A	400.00	400.00	400.00	N/A
	2'8" x 6'8"	BLS	N/A	N/A	N/A	475.00	475.00	475.00	N/A	N/A	475.00	N/A	N/A	N/A
	3'0" x 6'8"	BLS	N/A	N/A	N/A	400.00	400.00	400.00	N/A	N/A	400.00	400.00	400.00	N/A
	2'8" x 8'0"	BLS	N/A	N/A	N/A	635.00	N/A	N/A	N/A	N/A	635.00	N/A	N/A	N/A
	3'0" x 8'0"	BLS	N/A	N/A	N/A	635.00	N/A	N/A	N/A	N/A	635.00	N/A	635.00	N/A
OAKCRAFT®														
SINGLES	2'0" x 6'8"	OAK	NON-STOCK	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	2'4" x 6'8"	OAK	NON-STOCK	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	2'6" x 6'8"	OAK	402.50	N/A	N/A	N/A	N/A	N/A	N/A	N/A	402.50	N/A	N/A	N/A
	2'8" x 6'8"	OAK	402.50	N/A	N/A	N/A	505.00	N/A	430.00	430.00	402.50	N/A	N/A	505.00
	3'0" x 6'8"	OAK	402.50	N/A	N/A	N/A	430.00	N/A	430.00	430.00	402.50	N/A	N/A	430.00
ARTEK®														
SINGLES	2'0" x 6'8"	ATK	365.25	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	2'4" x 6'8"	ATK	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	2'6" x 6'8"	ATK	365.25	N/A	N/A	N/A	N/A	440.00	N/A	N/A	N/A	N/A	N/A	N/A
	2'8" x 6'8"	ATK	365.25	N/A	N/A	N/A	N/A	365.25	N/A	N/A	365.25	N/A	N/A	N/A
	3'0" x 6'8"	ATK	365.25	N/A	N/A	N/A	N/A	365.25	N/A	N/A	365.25	N/A	N/A	N/A
8'0" HEIGHTS	3'0" x 8'0"	ATK	588.00	N/A	N/A	N/A	N/A	N/A	N/A	N/A	542.30	N/A	N/A	N/A

Notes: * Features: Prehung on 4 5/8", Primed Frames W/2", Brickmold Casing and High-Dam Aluminum Adjustable Sills. Green text indicates a Stock Item. Red text indicates a Non-Stock Item (allow 3-4 week lead time).

BELLEVILLE® TEXTURED FEATURES:

- The surface of a Belleville textured door produces authentic wood door.
- A high-performance, composite material is utilized on all Belleville bottom rails, giving excellent rot-resistance.
- High-Definition panel profile
- Limited Lifetime Warranty

BELLEVILLE® SMOOTH FEATURES:

- Offered with an incredibly smooth surface, ideal for painting.
- A high-performance, composite material is utilized on all Belleville bottom rails, giving excellent rot-resistance.
- High-Definition panel profile
- Limited Lifetime Warranty

OAKCRAFT® FEATURES:

- The deep wood-grain texture yields a very realistic wood like appearance.
- Oakcraft doors have a true square edge which offers an attractive wood door appearance.
- Oakcraft doors are paintable or stainable.
- 25 Year Warranty.

ARTEK® FEATURES:

- Specially engineered fiberglass door facings provide maximum protection and durability.
- ArTek doors will not dent, split, crack and warp.
- ArTek doors are paintable.
- 25 Year Warranty.

MASONITE® HD STEEL FEATURES:

- The HD 6'8" doors are wood edge, except where noted with an asterisk. These will be steel edge.
- Steel edge doors have a Masonite warranty of 15 yrs.
- The 7'0" doors are steel edge.
- Wood edge doors have a warranty of 10 yrs.

IN SASH EXTERIOR TRANSOMS

ALL TRANSOMS ARE STANDARD SPECIFICATIONS:

- 2" PRIMED BRICKMOLD CASING
- 1 3/8" VERTICAL GRAIN FIR
- 4 9/16" FI PRIMED FRAME
- 1/2" INSULATED GLASS
- TRUC DIVIDED LITE



MUTIN BARS ARE
1 1/4" WIDE

Single Door Unit Opening

SASH	STILES	ADD TO DOOR R.O. HEIGHT	TDL LIST PRICE	# OF LITES	ONE LITE LIST PRICE
CODES:	CONVERT TO INCHES FOR CODES		TSF_12TDL		TSF_12
1/2 X 12"	3 1/2"	14"	N/A	1	N/A
2/8 X 12"	4 1/2"	14"	213.90	3	257.00
3/0 X 12"	4 1/2"	14"	213.90	3	257.00

Double Door Unit Opening

SASH	STILES	ADD TO DOOR R.O. HEIGHT	TDL LIST PRICE	# OF LITES	ONE LITE LIST PRICE
CODES:	CONVERT TO INCHES FOR CODES		TSF_12TDL		TSF_12
4/0 X 12"	4 1/2"	14"	257.70	4	310.00
5/0 X 12"	4 1/2"	14"	311.00	5	375.00
5/4 X 12"	4 1/2"	14"	344.50	5	415.00
6/0 X 12"	4 1/2"	14"	344.50	5	415.00

Triple Door Unit Opening

SASH	STILES	ADD TO DOOR R.O. HEIGHT	TDL LIST PRICE	CODES	# OF LITES	ONE LITE LIST PRICE	CODES
1/0 X 3/0 X 1/0 X 12"	4 1/2"	14"	344.50	TSF6412TDL	5	415.00	TSF6412
1/2 X 3/0 X 1/2 X 12"	3 1/2"	14"	344.50	TSF6712TDL	5	415.00	TSF6712

4-9/16" PRIMED FRAME & 2" BRICKMOLD
CASING INSULATED GLASS

Rectangular – GBG

GLASS SIZE	LIST PRICE	# OF LITES	ADD FOR 6-9/16" JAMB EXTENSIONS (INSTALLED)	ADD TO R.O. HEIGHT
2/6 X 12"	200.00	3	45.00	14"
2/8 X 12"	200.00	3	45.00	14"
3/0 X 12"	200.00	3	45.00	14"
5/0 X 12" (TWIN)	200.00	3	45.00	14"
5/0 X 12" (SWING SET)	200.00	3	45.00	14"
6/0 X 12" (TWIN)	200.00	3	45.00	14"
6/0 X 12" (SWING SET)	200.00	3	45.00	14"
1/0 X 3/0 X 1/0 X 12"	200.00	3	45.00	14"

Rectangular – 1 Lite

GLASS SIZE	LIST PRICE	ADD FOR 6-9/16" JAMB EXTENSIONS (INSTALLED)	ADD TO R.O. HEIGHT
2/6 X 12"	175.00	45.00	14"
2/8 X 12"	175.00	45.00	14"
3/0 X 12"	195.00	45.00	14"
5/0 X 12" (TWIN)	220.00	45.00	14"
5/0 X 12" (SWING SET)	220.00	45.00	14"
6/0 X 12" (TWIN)	220.00	45.00	14"
6/0 X 12" (SWING SET)	220.00	45.00	14"
1/0 X 3/0 X 1/0 X 12"	220.00	45.00	14"
1/2 X 3/0 X 1/0 X 12"	220.00	45.00	14"

Elliptical and 1/2 Round GBG 4-9/16 Envirogard Frame & 2" Brickmold

SIZE	CODES FOR TRANSOMS	LIST PRICE	# OF LITES	ADD FOR 6-9/16" JAMB EXTENSIONS (INSTALLED)	CODES FOR EXTENSIONS	ADD TO R.O. HEIGHT
1/0 X 3/0 X 1/0 ELLIPTICAL	EL103010GB	850.00	5 SPOKE (7LITE)	130.00	EL103010EX	14"
1/0 X 3/0 X 1/0 1/2 ROUND	HR103010GB	730.00	5 SPOKE OPEN HUB (7LITE)	115.00	HR103010EX	33 1/2"
2/8 1/2 ROUND	HR28GBG	300.00	3 SPOKE OPEN HUB (5LITE)	82.00	HR28EX	18"
3/0 1/2 ROUND	HR30GBG	300.00	3 SPOKE OPEN HUB (5LITE)	82.00	HR30EX	20"

HOW TO PAINT STEEL & FIBERGLASS ENTRY SYSTEMS

BARRINGTON
The Original Entry Doors

BELLEVILLE
Fiberglass Entry Doors

Oakcraft
Wood-Grain Textured
Fiberglass Entry Doors

ARTEK
Smooth Fiberglass Entry Doors

Masonite
STEEL ENTRY DOORS

IMPORTANT

Please read and understand the entire staining procedure before attempting to finish the door. Be sure to follow the paint manufacturers detailed application instructions on the product label.

1) HOW TO START

Doors can be stained either hanging in the opening or removed from the frame (recommended). Should you remove the door, take care to protect it from damage. Sidelites will need to be finished vertically. To remove the door from the frame, use a center punch and hammer. Strike the hinge pin from the bottom until it pops up (for outswing & self closing units - hinge leaf must be removed from the door). Drive the hinge pin as far as possible with the punch. Using a pair of pliers, grasp the hinge pin and, while twisting, pull the pin out. Remove all door hardware.

2) MATERIAL REQUIRED

Find a well-lit staining location that is dust-free, well ventilated and within the climate conditions recommended by the coating manufacturer. Recommended temperature should be between 50°F-90°F (10°C-32°C) degrees Fahrenheit.

Coatings and accessories:

- Mineral spirits or acetone
- Soapy water (mild detergent in warm water)
- Masking tape
- Paint
 - High-quality, oil-base or 100% acrylic water-based latex paint of desired color
 - Lacquer paints are *not* recommended
- 2-1/2" wide brush appropriate for type of paint (A natural bristle brush should be used with oil-based paint and a synthetic bristle brush should be used with latex paint.)
- 220 grit sandpaper

Tools:

- Hammer
- Phillips screwdriver
- Safety glasses
- One pair of rubber gloves
- Stir sticks
- Safety razor blades
- Center punch
- Pliers
- Air-less sprayer (optional)

These painting instructions apply to the following Masonite products: Masonite® Steel, Artek®, Oakcraft®, Belleville® and Barrington®.

Note: Painting instructions specifically refer to the door and sidelite panels. Oil-based paint should not be used on wood frame components (frames & brickmould).

2) PREPARING THE DOOR SURFACE

IMPORTANT: Dust, debris and other surface contaminants can accumulate on the surface of the door. Therefore, to achieve best results and maximum coating adhesion, wipe/clean all surfaces of the door panel(s) and sidelite(s) thoroughly with acetone or mineral spirits.

Mask (tape) off all surfaces that will not be stained.

3) PREPARING THE DOOR SURFACE



IMPORTANT: For adequate paint adhesion the door surface must be free of dust, debris and other surface contaminants.

Steel doors should be wiped clean with a solvent such as acetone or mineral spirits. Allow the cleaning solvent to dry completely - until there is no residual odor. Once wiped clean, the door must be lightly sanded with a 220-grit sandpaper.

After sanding, the door must be washed with a mild detergent in warm soapy water, rinsed and then dried. Mask (tape) off all surfaces that will not be painted including all glass.

4) PAINTING THE DOOR

Use exterior, high quality, oil-based or 100% acrylic water-based latex paint of desired color. High quality interior paint can be used on the interior surface of the door only. Lacquer paints are *not* recommended. Follow the manufacturer's instructions for paint application by using either a brush or a handheld sprayer.

Painting:

Put on gloves, safety glasses, and prepare your materials. Before starting, and occasionally throughout the project, stir the paint using smooth strokes until the texture is creamy - avoid creating bubbles.



Finishing with Brush Application:

Dip the brush into the paint, then use the rim of the container to release any excess paint. Apply paint as evenly as possible while still wet.

Brush strokes should follow the grain direction of the selected area. Start working on the panels and sticking (moulding profiles), then the vertical center mullion,

next the horizontal rails, then the vertical stiles; and finally, the outside edges (stiles and top rail, see figure 1 for details). Doors that are outswing or have adjustable surface mounted sweeps will need to have the sweep removed and the bottom rail painted.

Finishing with Spray Applicator:

Follow the manufacturer's instructions for thinning the paint, (i.e. thin latex paint with water or oil-based with solvent for better atomization and spraying results). Strain paint before filling the spray pot.

The door can be painted in horizontal (recommended) or vertical position; however, the paint should be applied in continuous strokes extending six inches past the edges of the door. This will ensure uniformity across the entire surface of the door. Multiple light coats are better than one heavy coat.

Avoid runs as a result of overspraying.


Drying:

IMPORTANT: Let the paint dry completely, following the manufacturer's recommended drying time before handling the painted surface or applying a second coat. If possible, allow the door to dry in a horizontal position to minimize paint runs. High humidity and/or low temperatures may extend your drying time.

WARNING: Doors painted with dark colors or doors with attached storm doors, may become very hot to the touch in direct sunlight.

Do not paint the weather strip and do not close door until paint is dry (see paint manufacturer's specifications on minimum drying time).

To maintain product warranty: Paint the door, frame, header and brickmould within 45 days of installation. Repainting every 1 to 3 years will be required, depending upon weather exposure.



Grain Direction:

Figure 1: For textured door finishing with brush.

- #1 Panels and sticking (moulding profiles)
- #2 Vertical center areas (mullions)
- #3 Horizontal areas (rails)
- #4 Outside vertical areas (stiles)
- #5 Edges of door (includes both sides and top of door)

Note: To maintain the product warranty, paint all exposed surfaces.

HOW TO STAIN FIBERGLASS ENTRY SYSTEMS



IMPORTANT

Please read and understand the entire staining procedure before attempting to finish the door. Be sure to follow the stain and top-coat manufacturers detailed application instructions on the product label.

1) HOW TO START

Doors can be stained either hanging in the opening or removed from the frame (recommended). Should you remove the door, take care to protect it from damage. Sidelites will need to be finished vertically. To remove the door from the frame, use a center punch and hammer. Strike the hinge pin from the bottom until it pops up (for outswing units - hinge leaf must be removed from the door). Drive the hinge pin as far as possible with the punch. Using a pair of pliers, grasp the hinge pin and, while twisting, pull the pin out. Remove all door hardware.

2) MATERIAL REQUIRED

Find a well-lit staining location that is dust-free, well ventilated and within the climate conditions recommended by the stain/top-coat manufacturer.

Coatings and accessories:

- Mineral spirits or acetone
- Lint-free rags or cheese cloth (recommended)
- 2" wide foam brush
- Safety razor blades
- One pair of rubber gloves
- Stir sticks
- Masking tape
- Stain
 - High-quality, opaque (non-transparent), heavily pigmented, oil-based stain (recommended)
 - Gel stains can also be used
 - Semi-transparent stains are not recommended
- High-quality, exterior grade, UV stabilized polyurethane sealant (satin or low gloss)
- 2-1/2" wide china bristle brush

Tools:

- Hammer
- Center punch
- Safety glasses
- Phillips screwdriver
- Pliers



2) PREPARING THE DOOR SURFACE

IMPORTANT: Dust, debris and other surface contaminants can accumulate on the surface of the door. Therefore, to achieve best results and maximum coating adhesion, wipe/clean all surfaces of the door panel(s) and sidelite(s) thoroughly with acetone or mineral spirits.

Mask (tape) off all surfaces that will not be stained.

3) STAINING THE DOOR

Use a high quality, heavily pigmented, oil-based stain (recommended). Gel stains can also be used. Before starting, and occasionally throughout the project, stir the stain until the texture is creamy. We recommend that before starting, you try staining a small inconspicuous area of the door to achieve the desired color.


One coat of stain is required with the recommended (per manufacturer's instructions) dry time needed between sides. The stain should be applied in the following order working on one small section of the door at a time.

Finishing Order:

- #1 Panels and sticking (moulding profiles)
- #2 Vertical center areas (mullions)
- #3 Horizontal areas (rails)
- #4 Outside vertical areas (stiles)
- #5 Edge of door or stiles

Staining:

1. Put on gloves and prepare your materials.
2. Stir stain thoroughly using smooth strokes, avoid creating bubbles and do not shake the stain container.



3. Working in the specified order and individual section, dip the foam brush into the stain then use the rim of the container to release any excess. Use the foam brush to apply the stain onto the section. Using a cloth, rub the stain into the embossed wood-grain ensuring complete and even coverage. Stop between sections to tidy up the perimeter with a rag and mineral spirits. Clean

edges will help define the individual components of the door. If preferred, the subtle color variation found in wood can be replicated by selective removal of the stain. Using a rag or cheese cloth, gently rub the surface removing very small amounts of stain. Apply varying levels of pressure and work in the direction of the grain. Excessive pressure will remove too much stain.



4. Once the door has been completely stained, check for any drips. While the stain is still wet, lightly brush the entire surface of the door with a china bristle brush. Use long strokes and work in the direction of the grain to even out color and achieve consistency.

5. Let the first stained surface dry, per the stain manufacturer's recommended drying time, before proceeding to the second side.

6. If you prefer a darker appearance, repeat staining steps one through five only after first coat is completely dry. Do not sand between staining coats.

4) SEALING OR APPLYING THE TOP-COAT

The top-coat or sealant for your door is very important and required for weatherability. It protects the stained door from the elements and makes the door surface washable. Be sure that the stain coating is completely dry and then apply a high-quality, UV stabilized, clear exterior polyurethane coating (satin or low gloss) - used for any normal exterior wood application.

1. Stir top coat thoroughly using smooth strokes; avoid creating bubbles and do not shake the top coat container.
2. Do not overload the brush. Dip the end of the brush into the coating and gently slide the flat side of the brush against the edge of the container to remove the excess.



Note: We recommend that all 6 sides (front and back faces plus all four edges) be sealed to eliminate moisture absorption. The bottom of your door panel(s) may contain a factory installed weatherstripping (sweep) which is sealed prior to installation. Failure to observe this recommendation may void the warranty.

3. Apply with even gentle strokes. Press hard enough to flex the bristles just a little and then pull the brush gently along the door's surface.
4. As you apply the sealant, pull the brush quickly along the area two or three times lightly to even out the brush strokes.
5. Allow the first coat to dry completely (follow manufacturer's recommendations) and apply at least one more coat using the same steps as above. A minimum of two coats is required for complete protection and the door should be resealed annually to ensure lasting protection of the finish.
6. After both sides of the door have been top-coated (twice) and are completely dry, remove the paper and tape from the glass and protected surfaces.
7. Clean the glass with window cleaner and remove any finishing materials from the glass with a safety razor.
8. Replace door back into frame.

Entry System Rough Openings - New Construction Size



Single Door

Nominal Door Size		Available Door Styles	Actual Door Size		Rough Opening Size (wood stud)		Outside Brickmold Size	
Width	Height		Width	Height	Width	Height	Width	Height
2'6"	6'8"	For door style availability, check Catalog.	31-1/2"	81-7/8"	32-1/4"	82-1/2"	34"	82-7/8"
2'8"	6'8"		33-1/2"	81-7/8"	34-1/4"	82-1/2"	36"	82-7/8"
2'8"	8'0"		33-1/2"	97-7/8"	34-1/4"	98-1/2"	36"	99-3/16"
3'0"	6'8"		37-1/2"	81-7/8"	38-1/4"	82-1/2"	40"	82-7/8"
3'0"	8'0"		37-1/2"	97-7/8"	38-1/4"	98-1/2"	40"	99-3/16"

All dimensions shown are for inswing doors – deduct 7/8" from the actual door size, the rough opening size and the outside brickmold size height for outswing or handicap accessible doors. See product selection detailed in the Catalog to determine if the entry door style you have selected is available.

Recommended rough openings for the FAST-FRAME™ adjustable steel frame offering are different than the dimensions shown in this chart – see rough opening chart titled FAST-FRAME. Floor covering can affect rough opening heights.



Single Door with One LH or RH Sidelite

Nominal Door Size		Nominal Sidelite Size		Available Door Styles	Available Sidelite Styles	Actual Door Size		Rough Opening Size (wood stud)		Outside Brickmold Size	
Width	Height	Width	Height			Width	Height	Width	Height	Width	Height
2'6"	6'8"	1'0"	6'8"	For door style availability, check Catalog.	For sidelite style availability, check Catalog.	45"	81-7/8"	45-3/4"	82-1/2"	47-1/2"	82-7/8"
2'6"	6'8"	1'2"	6'8"			47"	81-7/8"	47-3/4"	82-1/2"	49-1/2"	82-7/8"
2'8"	6'8"	1'0"	6'8"			47"	81-7/8"	47-3/4"	82-1/2"	49-1/2"	82-7/8"
2'8"	6'8"	1'2"	6'8"			49"	81-7/8"	49-3/4"	82-1/2"	51-1/2"	82-7/8"
2'8"	8'0"	1'0"	8'0"			47"	97-7/8"	47-3/4"	98-1/2"	49-1/2"	99-3/16"
2'8"	8'0"	1'2"	8'0"			49"	97-7/8"	49-3/4"	98-1/2"	51-1/2"	99-3/16"
3'0"	6'8"	1'0"	6'8"			51"	81-7/8"	51-3/4"	82-1/2"	53-1/2"	82-7/8"
3'0"	6'8"	1'2"	6'8"			53"	81-7/8"	53-3/4"	82-1/2"	55-1/2"	82-7/8"
3'0"	8'0"	1'0"	8'0"			51"	97-7/8"	51-3/4"	98-1/2"	53-1/2"	99-3/16"
3'0"	8'0"	1'2"	8'0"			53"	97-7/8"	53-3/4"	98-1/2"	55-1/2"	99-3/16"

All dimensions shown are for inswing doors – deduct 7/8" from the actual door size, the rough opening size and the outside brickmold size height for outswing or handicap accessible doors. See product selection detailed in the Catalog to determine if the entry door style you have selected is available.

Floor covering can affect rough opening heights.

Entry System Rough Openings - New Construction Size



Single Door with Two Sidelites

Nominal Door Size		Nominal Sidelite Size		Available Door Styles	Available Sidelite Styles	Actual Door Size		Rough Opening Size (wood work)		Outside Brickmold Size	
Width	Height	Width	Height			Width	Height	Width	Height	Width	Height
2'6"	6'8"	1'0"	6'8"	For door style availability, check Catalog.	For sidelite style availability, check Catalog.	58-3/8"	81-7/8"	59-1/8"	82-1/2"	60-7/8"	82-7/8"
2'6"	6'8"	1'2"	6'8"			62-3/8"	81-7/8"	63-1/8"	82-1/2"	64-7/8"	82-7/8"
2'8"	6'8"	1'0"	6'8"			60-3/8"	81-7/8"	61-1/8"	82-1/2"	62-7/8"	82-7/8"
2'8"	6'8"	1'2"	6'8"			64-3/8"	81-7/8"	65-1/8"	82-1/2"	66-7/8"	82-7/8"
2'8"	8'0"	1'0"	8'0"			60-3/8"	97-7/8"	61-1/8"	98-1/2"	62-7/8"	99-3/16"
2'8"	8'0"	1'2"	8'0"			64-3/8"	97-7/8"	65-1/8"	98-1/2"	66-7/8"	99-3/16"
3'0"	6'8"	1'0"	6'8"			64-3/8"	81-7/8"	65-1/8"	82-1/2"	66-7/8"	82-7/8"
3'0"	6'8"	1'2"	6'8"			68-3/8"	81-7/8"	69-1/8"	82-1/2"	70-7/8"	82-7/8"
3'0"	8'0"	1'0"	8'0"			64-3/8"	97-7/8"	65-1/8"	98-1/2"	66-7/8"	99-3/16"
3'0"	8'0"	1'2"	8'0"			68-3/8"	97-7/8"	69-1/8"	98-1/2"	70-7/8"	99-3/16"

All dimensions shown are for inswing doors – deduct 7/8" from the actual door size, the rough opening size and the outside brickmold size height for outswing handicap accessible doors. See product selection detailed in the Catalog to determine if the entry door style you have selected is available. Floor covering can affect rough opening heights.

Rough opening for units with transoms:

	Add 15-3/4" to above height		Add 12-1/4" to above height		Add 17-1/2" to above height		Add 34-3/4" to above height – 1'2" SL's Add 32-3/4" to above height – 1'0" SL's
Elliptical		Rectangle		Shoulder		Half Round	

Entry System Rough Openings - New Construction Size



Double Door


Rough Openings for decorative glass. For clear glass rough openings see pages 70-71.

Nominal Door Size		Available Door Styles	Actual Door Size		Rough Opening Size (wood work)		Outside Brickmold Size	
Width	Height		Width	Height	Width	Height	Width	Height
2'6"	6'8"	For door style availability, check Catalog.	62"	81-7/8"	62-3/4"	82-1/2"	64-1/2"	82-7/8"
2'8"	6'8"		66"	81-7/8"	66-3/4"	82-1/2"	68-1/2"	82-7/8"
2'8"	8'0"		66"	97-7/8"	66-3/4"	98-1/2"	68-1/2"	99-3/16"
3'0"	6'8"		74"	81-7/8"	74-3/4"	82-1/2"	76-1/2"	82-7/8"
3'0"	8'0"		74"	97-7/8"	74-3/4"	98-1/2"	76-1/2"	99-3/16"

All dimensions shown are for inswing doors – deduct 7/8" from the actual door size, the rough opening size and the outside brickmold size height for outswing handicap accessible doors. See product selection detailed in the Catalog to determine if the entry door style you have selected is available. Recommended rough openings for the FAST-FRAME™ adjustable steel frame offering are different than the dimensions shown in this chart – see rough opening chart titled FAST-FRAME. Floor covering can affect rough opening heights.

Entry Systems - Door Handing

INSWING




DOORS PICTURED ABOVE ASSUME YOU ARE STANDING ON THE OUTSIDE OF THE BUILDING.


SINGLE DOORS




WITH L.H. SIDELITE




WITH R.H. SIDELITE




WITH DOUBLE SIDELITE



DOUBLE DOORS




OUTSWING




DOORS PICTURED ABOVE ASSUME YOU ARE STANDING ON THE OUTSIDE OF THE BUILDING.


SINGLE DOORS




WITH L.H. SIDELITE




WITH R.H. SIDELITE



WITH DOUBLE SIDELITE



DOUBLE DOORS



BWI®
Exterior Door Unit - Limited Warranty

BridgeWater Wholesalers Inc®. ("BWI®") offers the following Limited Warranty on exterior door units produced by BWI® after September 1st 2003:

Terms and Conditions of the BWI® Limited Warranty:

BWI warrants, subject to the terms and conditions below, that all components of its exterior door units including slab, sills, frames and brickmould casing to be free from manufacturing defects in material and workmanship under normal conditions and use for the following periods from the date of delivery by BWI® to BWI's customer or the date of installation, provided that the installation occurs within 30 days of such delivery.

Barrington Fiberglass Door Units – Limited Lifetime

ArTek Smooth Fiberglass Door Units – 25 years

Belleville Fiberglass Door Units – Limited Lifetime

Pine, Oak, and Mahogany- 1 year

Oakcraft Fiberglass Door Units – 25 years

Fir Door Units – 5 years

High Definition Steel Door Wood Edge Units - 10 years

High Definition Steel Door Steel Edge Units - 15 years

Insulated Glass – 10 years provided by the manufacturer only, if any.

BWI® PROVIDES NO WARRANTY OF ANY KIND FOR INSULATED GLASS.

All door and frame components must be finished and maintained in the strictest conformity with the installation and finishing instructions provided with the product. All door units must be fully installed and finished immediately upon installation.

EXCLUSIONS [Read Carefully] This limited warranty does not cover:

- Warp in plane of door less than 1/4"
- Natural wood characteristics such as, but not limited to, mineral streaks, small knots, grain, texture, color, and tone variations
- Natural expansion and contraction during seasonal and temperature changes, air conditioning or heating influences
- Differences between samples or photographs and the actual door unit
- Indentations, scratches or similar surface damage caused by negligence, lack of protection, improper maintenance, normal use, abrasives, insufficient protection, pets or other conditions beyond our reasonable control.
- Improper delivery by anyone other than BWI®, improper storage, improper installation, improper or unauthorized repair, improper maintenance, improper protection, improper care, abuse, water, moisture, insects, animals, and any other condition beyond our reasonable control
- Excessive or inadequate humidity in the area or excessive change in ambient temperature.
- Accidents, man-made or natural, including but not limited to leaking or broken plumbing, fire, flood, earthquake or other casualty before, during or after installation
- Settling of the building
- Any other condition, circumstance, event or conduct beyond our control
- Anyone other than the original retail consumer purchaser of the product
- Purchasers for resale of door units
- Any defect that was observable before installation
- Any improper job site condition or any inappropriate or improperly prepared framing, sill, supporting or adjacent area of the door unit
- Installation of door units outside the continental United States
- Damage caused by the absence of a safe, secure or dry place for the storage or the installation of the door unit (provide at least a four-inch air space under and around the door unit during storage)
- Damage caused by anyone other than BWI® repairing or altering the door unit
- Damage caused by failure to comply strictly with installation and finishing instructions
- Damage caused by failure to perform yearly inspections and maintenance

BWI® WILL AUTHORIZE NO RETURN OR REPAIR, OR GIVE ANY CREDIT OR REFUND ANY MONEY, AND BWI MAKES ABSOLUTELY NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WHETHER OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXCEPT AS STATED IN THIS LIMITED WARRANTY.

BWI® WARRANTS ONLY FOR THE PERIODS STATED ABOVE.

BWI'S ONLY OBLIGATION DURING THIS WARRANTY PERIOD IS AT BWI'S OPTION EITHER TO REPLACE OR REPAIR THE DEFECTIVE DOOR UNIT OR DEFECTIVE COMPONENT.

BWI® HAS NO OTHER OBLIGATIONS OF ANY KIND TO ANYONE. BWI WILL NOT COMPENSATE ANYONE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY KIND DURING THE APPLICABLE LIMITED WARRANTY PERIOD EXCEPT AS STATED EXPRESSLY IN THE LIMITED WARRANTY. ALL OF BWI'S OBLIGATIONS END WHEN THE APPLICABLE LIMITED WARRANTY PERIOD IS OVER.

UNDER NO CIRCUMSTANCES SHALL BWI® BE LIABLE FOR ANY COST OF LABOR, INSTALLATION OR FINISHING OF THE REPLACEMENT OR ORIGINAL PRODUCT. IN NO EVENT SHALL BWI® BE HELD RESPONSIBLE FOR SPECIAL, INDIRECT, CONSEQUENTIAL OR INCIDENTAL DAMAGES, OR FOR ANY THEORY OF LAW OTHER THAN THE SPECIFIC TERMS OF THIS LIMITED WARRANTY.

This limited warranty is valid ONLY in the continental United States. This limited warranty is not transferable and ONLY the original retail consumer is entitled to this limited warranty. No person has the authority to change this limited warranty or to create any obligation or liability in connection with our products.

Some states do not allow the exclusion or limitation of incidental, special or consequential damages, or the exclusion or limitation of implied warranties, so such exclusions or limitations may not apply to you. This warranty gives you specific legal rights and you may have other rights that vary from state to state.

BWI® MAKES ABSOLUTELY NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WHETHER OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXCEPT AS STATED IN THIS LIMITED WARRANTY.

Claims Procedure:



If a covered defect exists, written notice of claim must be received by BWI® or the dealer who sold you the BWI® door within the Warranty period. A BWI® representative must then inspect the door and BWI® will then provide you with a written determination.

All questions of evident product quality are to be addressed prior to installation. Installation implies acceptance. There is no warranty for appearance-related claims or other evident defects once the product is installed.

Proof of Purchase. A valid proof of purchase in the form of a sales receipt or other documents which establish proof of purchase must be delivered to us together with a complete description of the problem and/or a photograph that clearly shows the warranty problem.

STANDARD COLORS

Color Selection for prefinished doors and millwork

				
Pure White D200	Grey M018	Light Grey M016	Soft White M001	Cream M020
				
Wicker M023	Clay M008	Spanish Moss D215	Brown M010	Burgundy M027
				
Blue D210	Wedgewood M004	Green M028	Bordeaux M167	Federal Brown M009
				
Winstone D250	Wineberry M078	Midnight Blue M166	Classic Blue M036	Navy D225
				
Dark Spruce D220	Midnight Green M122	Blackwatch Green D255	Black M002	Pure Black D201

** Actual paint color may vary slightly from chip representation.*



BWI® PRE-FINISHING PAINT & STAIN OPTIONS FOR EXTERIOR DOORS

Special Note: Prior to Ordering Call BWI® to Check for Availability

STANDARD PRICE OPTIONS

Pricing listed are for doors and sidelights only. BWI® does not pre-finish frame components.

PRICING WITHIN CHART IS A PER DOOR/SIDELIGHT PRICE ONLY*

ITEM	BWI® CODE	LIST PRICE
Paint Door, Both Sides the Same Color PANEL ONLY NO GLASS INSERT	PDBSSCNG	307.00
Paint Door, Both Sides the Same Color DOOR WITH GLASS INSERT	BPDSSC	340.00
Paint Sidelight, Both Sides the Same Color	PSBSSC	255.00
Paint Door Two Different Colors, Exterior One Color, Interior One Color	PDITDC	408.50
Paint Sidelight Two Different Colors, Exterior One Colour, Interior One Color	PSTDC	346.00
Stain Door, Both Sides the Same Color	SDBSSC	594.00
Stain Sidelight, Both Sides the Same Color	SSBSSC	402.00
Stain Door Two Different Color, Exterior One Color, Interior One Color	SDITDC	634.00
Stain sidelight Two Different Colors, Exterior One Color, Interior One Color	SSTDC	535.00
Paint One Side of Door One Color, Stain the Other Side One Color	POSOD	628.50
Paint One side of Sidelight One Color, Stain the Other Side One Colour	POSOS	535.00

* For Multiple Doors and/or Sidelights in a Unit Add Appropriate List Price for Each Additional Item.

STANDARD PAINT COLOR OPTIONS FROM BWI®

Colors may vary. Ask your BWI® Authorized Retailer or Local BWI® Sales Professional for Actual Color Samples

- | | | | |
|--------------|----------------|-----------------|--------------------|
| • PURE WHITE | • SPANISH MOSS | • BORDEAUX | • NAVY |
| • SOFT WHITE | • BROWN | • FEDERAL BROWN | • DARK SPRUCE |
| • GREY | • BURGUNDY | • WINESTONE | • MIDNIGHT GREEN |
| • CREAM | • BLUE | • WINEBERRY | • BLACKWATCH GREEN |
| • WICKER | • WEDGEWOOD | • MIDNIGHT BLUE | • BLACK |
| • CLAY | • GREEN | • CLASSIC BLUE | • PURE BLACK |

STANDARD STAIN COLOR OPTIONS FROM BWI®

Colors may vary. Ask your BWI® Authorized Retailer or Local BWI® Sales Professional for Actual Color Samples

DARK	MEDIUM	LIGHT	SPECIAL NOTE PRE-FINISH STAIN COLORS MATCH STANDARD MASONITE STAIN KIT COLORS <i>see page 22</i>
• DANISH WALNUT	• DANISH WALNUT	• DANISH WALNUT	
• CHERRY	• CHERRY	• CHERRY	
• TEAK NATURAL	• TEAK NATURAL	• TEAK NATURAL	
• FRUITWOOD	• FRUITWOOD	• FRUITWOOD	
• EARLY AMERICAN	• EARLY AMERICAN	• EARLY AMERICAN	
• MAHOGANY			

Color Options Availability and Pricing are subject to change without notice.
BUDGEWATER WHOLESALE, INC.*

STANDARD SPECIFICATIONS & OPTIONS FOR DOORS & UNITS



BW I'S STANDARD UNIT SPECIFICATIONS (Catalog pricing shown based on 3'0" x 6'8" door units unless specified otherwise)

- Compression Weather-stripped
- Casing: 1-1/4"x2" Primed Brick Moulding
- All Glass Inserts are Insulated Glass
- Deadbolt Prep will not be Mortised for Strike on Frame
- 4-9/16" Primed Frame
- High Dam Adjustable Sill (up to 5/16") - Mill Finish - (EXCEPT WHERE NOTED)
- Hinges: Three 4x4 Brass (5/8" Radius Corner) - (EXCEPT WHERE NOTED)
- Standard Bore: Backset: 2-3/8" on 2/6 & 2/8 Doors: 2-3/4" on 3/0 Doors
2-1/8" Main Bore 15/16" Latch Bore 1"x2-1/4" Radius Edge/Mortise

BW I'S TWIN UNIT & SWINGSET PRICING PROCEDURE

Double the
Single Door List
Price Plus

HD STEEL • ARTEK • SMOOTH BELLEVILLE	60.00
OAKCRAFT • TEXTURED BELLEVILLE • BARRINGTON	100.00
ADD FOR SCREEN (SWINGSETS ONLY)	105.00

BARRINGTON DOOR DESIGNS SPECIAL NOTE
FOR STANDARD HINGE AND SILL OFFERING.
PLEASE REFER TO BARRINGTON PRICE PAGES

CASING & FRAME OPTIONS	SINGLE	TWIN
For No Brick Moulding	DEDUCT: 10.00	15.00
4-3/4" to 6-9/16" Primed Frame w/BMC	ADD: 45.00	60.00
6-3/4" to 9-1/4" Primed Frame w/BMC	ADD: 140.00	188.00
9-3/8" to 13-1/4" Primed Frame w/BMC	ADD: 250.00	295.00
4-9/16" Clear Pine Frame w/BMC	ADD: 65.00	80.00
4-3/4" to 6-9/16" Clear Pine Frame w/BMC	ADD: 122.00	134.50
6-3/4" to 9-1/4" Clear Pine Frame w/BMC	ADD: 220.00	250.00
9-3/8" to 13-1/4" Clear Pine Frame w/BMC	ADD: 325.00	375.00
4-9/16" Fir Frame w/BMC	ADD: 115.00	210.00
6-9/16" Fir Frame w/BMC	ADD: 190.00	295.00
4-9/16" Oak or Mahogany Frame w/BMC	ADD: 220.00	325.00
4-3/4" to 6-9/16" Oak or Mahogany Frame w/BMC	ADD: 285.00	400.00
7" to 9-1/4" Oak or Mahogany Frame w/BMC	ADD: 450.00	500.00
SINGLE DOOR w/1 SIDELITE		
4-9/16" Primed Frame w/BMC	Single Door + one Sidelite	
6-9/16" Primed Frame w/BMC	ADD:	90.00
4-9/16" Clear Pine Frame w/BMC	ADD:	130.00
6-9/16" Clear Pine Frame w/BMC	ADD:	244.00
4-9/16" Fir Frame w/BMC	ADD:	230.00
6-9/16" Fir Frame w/BMC	ADD:	380.00
4-9/16" Oak or Mahogany Frame w/BMC	ADD:	400.00
6-9/16" Oak or Mahogany Frame w/BMC	ADD:	570.00
SINGLE DOOR w/2 SIDELITES		
4-9/16" Primed Frame w/BMC	Single Door + two Sidelites	
6-9/16" Primed Frame w/BMC	ADD:	135.00
4-9/16" Clear Pine Frame w/BMC	ADD:	195.00
6-9/16" Clear Pine Frame w/BMC	ADD:	366.00
4-9/16" Fir Frame w/BMC	ADD:	345.00
6-9/16" Fir Frame w/BMC	ADD:	570.00
4-9/16" Oak or Mahogany Frame w/BMC	ADD:	660.00
6-9/16" Oak or Mahogany Frame w/BMC	ADD:	855.00
SINGLE DOOR w/2 SIDELITES & RECTANGULAR TRANSOM		
4-9/16" Primed Frame w/BMC	Single Door + two Sidelites + Transom	
6-9/16" Primed Frame w/BMC	ADD:	180.00
4-9/16" Clear Pine Frame w/BMC	ADD:	260.00
6-9/16" Clear Pine Frame w/BMC	ADD:	488.00
4-9/16" Fir Frame w/BMC	ADD:	460.00
6-9/16" Fir Frame w/BMC	ADD:	760.00
4-9/16" Oak or Mahogany Frame w/BMC	ADD:	880.00
6-9/16" Oak or Mahogany Frame w/BMC	ADD:	1140.00
UP TO 3-1/2" FLAT CASING ADDERS		
Primed Flat Casing	ADD:	10.00 40.00
Clear Pine Flat Casing (To Clear Frame)	ADD:	10.00 40.00
Oak Flat Casing (To Clear Frame)	ADD:	100.00 120.00
UP TO 5-1/2" FLAT CASING ADDERS		
Primed Finger Joint	ADD:	60.00 75.00
Clear Pine (To Clear Pine Frame)	ADD:	60.00 90.00
Oak (To Oak Frame)	ADD:	200.00 240.00

MISCELLANEOUS OPTIONS	SINGLE	TWIN
4-9/16" thru 6-9/16" Inswing Oak Sill	ADD:	65.00 135.00
4-9/16" thru 6-9/16" Outswing Oak Sill	ADD:	100.00 200.00
Up to 8" Sill Horns	ADD:	40.00 40.00
Bronze or Brass Color Sill	ADD:	10.00 20.00
Handicap Sill 4-9/16" Only	ADD:	10.00 20.00
Handicap Sill 6-9/16" Only	ADD:	40.00 60.00
Composite Sill	ADD:	22.00 66.00
PVC BMC	ADD:	9.25 11.00
Outswing Unit w/2 NRP Hinges & Bumper Sill up to 4-9/16" Frame	ADD:	24.00 48.00
Outswing Unit w/2 NRP Hinges & Bumper Sill up to 6-9/16" Frame	ADD:	40.00 60.00
Bore for Dead Bolt	ADD:	8.00 (per Door)
For Magazine Mail Slot - INSTALLED -	ADD:	150.00 (per Door)
Peepsite Installed - Brass -	ADD:	18.00 (per Door)
Solid Brass Hinges (3 per Door)	ADD:	55.00 110.00
Hinges: (3 per Door): Antique Brass US3, Polished Brass US3, or Dull Chrome US26D	ADD:	20.00 40.00
Self Closing Hinges (2 per Door)	ADD:	40.00 80.00
Bright Brass Ball Bearing Hinges (3 per Door)	ADD:	40.00 80.00
Intermediate Height (Where Available) CUT DOWN TO 6/5 HEIGHT MAXIMUM ON HD STEEL, OAKCRAFT, & ARTEK	ADD:	100.00 200.00
For Steel Edge 90 Min	ADD:	45.00 (per Door)
Magnetic Weather-strip (Shipped Loose)	ADD:	10.00 (per Opening)
Mortise Lock Machining - TEMPLATE REQUIRED - Pocket Only/No Face Boxes	ADD:	300.00

MISCELLANEOUS FRAME ONLY OPTIONS	SINGLE	TWIN
SETUP FRAMES ONLY: 4-9/16" X 6/8" PRIMED, UN-MACHINED, & MACHINED TO BW I® SPECS: w/BMC & SILL	ADD:	100.00 200.00
For 7/0 Heights	ADD:	20.00
For 8/0 Heights	ADD:	50.00
For Intermediate Heights	ADD:	25.00
For Intermediate Widths	ADD:	N/C
For 6/8, 7/0, 8/0 Clear T-Astragal only w/Bolts (Shipped Loose)	ADD:	80.00

Clad Plus // Frame Adders	ITEM	LIST
Add to Standard BW I® Unit Prices	4-9/16" SINGLE	\$100.00
	6-9/16" SINGLE	\$130.00
	4-9/16" TWIN OR SINGLE w/SIDELITE(S)	\$150.00
	6-9/16" TWIN OR SINGLE w/SIDELITE(S)	\$200.00
CLAD PLUS II - US PATENT #6,161,343 AND 6,125,605		

FOR OTHER CUSTOM SPECIFICATIONS REQUIREMENTS PLEASE CONTACT YOUR LOCAL BW I® LOCATION FOR AVAILABILITY

Prices subject to change without notice.

Masonite. The Beautiful Door.®



Beauty IN THE DETAILS™



Bridgewater Wholesalers, Inc.®

Corporate Headquarters

210 Industrial Parkway, Branchburg, NJ 08876

Phone: 1.800.242.7207 Fax: 1.908.526.5013

299 Mulberry Drive
Mechanicsburg, PA 17050

Phone: 1.866.717.7660
Fax: 1.717.766.9321

3000 Transport Street
Richmond, VA 23234

Phone: 1.866.294.7979
Fax: 1.804.275.3467

28 Track Drive
Binghamton, NY 13904

Phone: 1.800.942.6149
Fax: 1.607.775.0817

299 Mulberry Drive
Mechanicsburg, PA 17050

Phone: 1.866.260.2016
Fax: 1.717.766.3077

www.bwimillwork.com info@bwimillwork.com

"Independent for the Independents™"

 *Masonite®*

Masonite®, "Masonite. The Beautiful Door.®", "Beauty IN THE DETAILS™", Artek®, Belleville®, Sta-Tru®, Bannington®, Dakota®, Specialty®, Aurora®, Corvus®, Chandler®, Cypress®, Fremont®, Fundy®, Georgian®, Glaze®, Lincoln Park®, Madrid®, Marquis®, McIntire®, Merlo Park®, Monaco®, Naples®, Nassau®, Oxford®, Panama®, Riviera®, Victorian®, Woodbridge®, Centurian®, Seal-Rite® and Fast-Frame® are trademarks of Masonite International Corporation. Timely is a registered trademark of S.D.S. Industries, Inc. which has been licensed to Frame-Up, LLC. ZAN is a registered trademark of United Gypsum Laboratories. Warnock-Hersey is a registered trademark of Intertek Testing Services. ♦ Please check with your Masonite dealer or distributor for current warranty terms and conditions. Our continuing program of product improvement makes specification, design and product detail subject to change without notice. 05/07 PRINTED IN THE USA ©2007 by Masonite International Corporation

www.masonite.com